




- Tall wash basin mixer complete with:
- aerator M24x1 Slim air
- set of 2 stainless steel hoses 3/8"G

CA 085..

- CA 081..

- CA 081K..

- CA 085

CR- Chrome | Chrome

CA 081

CR- Chrome | Chrome

CA 081K

CR- Chrome | Chrome

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.25	6.13	7.5	8.68	9.69	10.69	11.52	12.35	13.13	13.83


ESPLOSO
RICAMBI
CA 085

ESPLOSO
RICAMBI
CA 081

ESPLOSO
RICAMBI
CA 081K



candy



- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x120mm
- 1/2" G connections
- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x120mm
- 1/2" G connections

- CA 104**
CR- Chrome | Chrome
- CA 105**
CR- Chrome | Chrome
- CA 106**
CR- Chrome | Chrome
- ZPRO 057**
• CR- Chrome

ARTICOLO ARTICLE

- CA 104..**
- with spout and aerator M24x1 - l. 150mm
 - with spout and aerator M24x1 - l. 150mm

- CA 105..**
- with spout and aerator M24x1 - l. 200mm
 - with spout and aerator M24x1 - l. 200mm

- CA 106..**
- with spout and aerator M24x1 - l. 245mm
 - with spout and aerator M24x1 - l. 245mm

- ZPRO 057..**
- Extension for artt. 104-105-106
 - H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		5.86	8.01	9.82	11.28	12.59	13.82	14.91	15.93	16.87	17.82

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
CA 104




ESPLOSO
RICAMBI
CA 105



ESPLOSO
RICAMBI
CA 106



candy



- Bidet mixer complete with:
- with swivel joint and aerator M16x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer complete with:
- with swivel joint and aerator M16x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

- CA 135..
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- CA 131..
- without pop up waste
 - without pop up waste

- CA 131K..
- with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		3.98	5.56	6.87	7.95	8.88	9.73	10.51	11.21	11.95	12.59

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
CA 135




ESPLOSO
RICAMBI
CA 131



ESPLOSO
RICAMBI
CA 131K



candy



- Shower mixer complete with:
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Shower mixer complete with:
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

CA 168D
CR- Chrome | Chrome
CA 168
CR- Chrome | Chrome
CA 168R
CR- Chrome | Chrome

ARTICOLO ARTICLE

- CA 168D..**
- with ABS joint wall bracket
 - with hand-shower and flexible hose
 - with ABS joint wall bracket
 - with hand-shower and flexible hose

- CA 168..**
- without shower set
 - with 1/2"G lower connection
 - without shower set
 - with 1/2"G lower connection

- CA 168R..**
- overturned without shower set
 - with 3/4"G upper connection
 - overturned without shower set
 - with 3/4"G upper connection


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.82	12.68	15.41	17.93	20.08	21.93	23.81	25.69	27.33	28.66

DOCUMENTI TECNICITECHNICAL DOCUMENTS



candy



- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

ARTICOLO ARTICLE

CA 023..

- with ABS joint wall bracket
- with hand-shower and flexible hose
- with ABS joint wall bracket
- with hand-shower and flexible hose

CA 026..

- with ABS fixed wall bracket
- with hand-shower and flexible hose
- with ABS fixed wall bracket
- with hand-shower and flexible hose

CA 022..

- without shower set
- without shower set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	6.81	9.71	11.89	13.75	15.34	16.9	18.23	19.51	20.74	21.87
	doccia - hand shower	8.36	11.97	14.59	16.94	18.8	20.78	22.44	24.02	25.4	26.76

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
CA 023




ESPLOSO
RICAMBI
CA 026



ESPLOSO
RICAMBI
CA 022



candy



- Concealed shower mixer (1 outlet) complete with:
- metal wall plate Ø116mm
- 1/2" G connections
- Concealed shower mixer (1 outlet) complete with:
- metal wall plate Ø116mm
- 1/2" G connections

ARTICOLO ARTICLE

CA 010..

- without diverter
- without diverter

ZPRO 013..

- Extension for art. 010
- H43mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
CA 010



candy



- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2" G hot/cold and upper connections - 3/4" G lower connection
- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2" G hot/cold and upper connections - 3/4" G lower connection

ARTICOLO ARTICLE

CA 015..

- with push diverter
- with push diverter

ZPRO 028..

- Extension with diverter for art. 015
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	7.91	11.28	13.76	15.84	17.95	19.65	21.2	22.69	24.09	25.46
	uscita sotto - under outlet	6.58	9.86	12.08	14.01	15.62	17.17	18.51	19.77	20.99	22.16


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
CA 015



candy



- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2" G connections

- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2" G connections

ARTICOLO ARTICLE

CA 018..

- with diverter cartridge (2 outlets + 1 combined position)
- with diverter cartridge (2 outlets + 1 combined position)

ZPRO 068..

- Extension with diverter for artt. 018-019
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita destra - right outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita sinistra - left outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita combinata - combined outlet	6.24	8.89	10.82	12.46	14	15.3	16.48	17.69	18.72	19.75


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
CA 018



candy



- Concealed shower mixer (3 outlets) complete with:
- metal wall plate Ø200mm
- 1/2" G connections

- Concealed shower mixer (3 outlets) complete with:
- metal wall plate Ø200mm
- 1/2" G connections

ARTICOLO ARTICLE

CA 019..

- with diverter cartridge (3 outlets + 3 combined positions)
- with diverter cartridge (3 outlets + 3 combined positions)

ZPRO 068..

- Extension with diverter for artt. 018-019
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT


		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita destra - right outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita sinistra - left outlet	5.6	7.76	9.49	11.07	12.3	13.49	14.52	15.54	16.43	17.37

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
CA 019





- CA 040
CR- Chrome | Chrome
- CA 041
CR- Chrome | Chrome

CA 040..

- with spout and aerator M28x1 (3 holes)
- with spout and aerator M28x1 (3 holes)

CA 041..

- without spout (2 holes)
- without spout (2 holes)



		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	4.8	6.79	8.45	9.79	10.88	11.96	12.99	13.9	14.74	15.58
	doccia - hand shower	3.55	5.47	6.93	8.16	9.2	10.12	11	11.81	12.59	13.34



ESPLOSO
RICAMBI
CA 040

ESPLOSO
RICAMBI
CA 041





- Universal concealed Box for mixers complete with:
- concealed body
- box

PBOX 001

- Universal concealed Box for mixers complete with:
- concealed body
- box

ARTICOLO ARTICLE

PBOX 001

- without external set
- without external set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	A	8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28
	B	9.2	13	15.6	18	20	22	23.7	25.4	26.8	28.5
	C	9.6	13.4	16	18.5	20.5	22.5	24.2	25.9	27.3	29
	A+B	10	13.8	16.5	19	21	23	24.6	26.4	27.8	29.5
	C+B	10.5	14.3	17	19.5	21.5	23.5	24.9	26.9	28.3	30
	C+A	11	14.8	17.5	20	22	24	25.4	27.4	28.8	30.5



DOCUMENTI TECNICI TECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
PBOX 001



candy



- External set for concealed shower mixer (1 outlet) complete with:
- mixer body
- ABS wall plate Ø173 mm and lever

- External set for concealed shower mixer (1 outlet) complete with:
- mixer body
- ABS wall plate Ø173 mm and lever

ARTICOLO ARTICLE

CA BOX010..

- without diverter
- without diverter

ZPRO BOX010..

- Extension for art. BOX010
- H30mm

CA BOX010

CR- Chrome | Chrome

ZPRO BOX010

- CR- Chrome



DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
CA BOX010



candy



- External set for concealed shower mixer (2 outlets) complete with:
- mixer body
- ABS wall plate Ø173 mm and lever

- External set for concealed shower mixer (2 outlets) complete with:
- mixer body
- ABS wall plate Ø173 mm and lever

ARTICOLO ARTICLE

CA BOX015..

- with push diverter
- with push diverter

ZPRO BOX015..

- Extension with diverter for art. BOX015
- H30mm

CA BOX015

CR- Chrome | Chrome

ZPRO BOX015

- CR- Chrome


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
CA BOX015



candy



- Wash basin mixer complete with:
- aerator M24x1 Slim air
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer complete with:
- aerator M24x1 Slim air
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

CA 075H..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

CA 071H..

- without pop up waste
- without pop up waste

CA 071HK..

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.61	6.46	7.88	9.12	10.11	11.12	12.02	12.88	13.6	14.36

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
CA 075H



ESPLOSO
RICAMBI
CA 071H



ESPLOSO
RICAMBI
CA 071HK

