


berry



- Tall wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Tall wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

- BR 085..
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- BR 081..
- without pop up waste
 - without pop up waste

- BR 081K..
- with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.07	5.92	7.29	8.49	9.51	10.49	11.35	12.12	12.93	13.66

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
BR 085

ESPLOSO
RICAMBI
BR 081

ESPLOSO
RICAMBI
BR 081K



berry



- Wash basin mixer with swivelling spout complete with:
- aerator M16x1
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer with swivelling spout complete with:
- aerator M16x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

BR 077..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

BR 078..

- without pop up waste
- without pop up waste

BR 077

CR- Chrome | Chrome

BR 078

CR- Chrome | Chrome

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		3.4	4.88	6.02	7.04	7.88	8.67	9.38	10.07	10.64	11.27

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
BR 077



ESPLOSO
RICAMBI
BR 078



berry



- Bidet mixer complete with:
- swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8" G
- Bidet mixer complete with:
- swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8" G

ARTICOLO ARTICLE

- BR 135..
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- BR 131..
- without pop up waste
 - without pop up waste

- BR 131K..
- with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		3.88	5.62	6.95	8.05	9.08	9.98	10.82	11.63	12.35	13.09

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
BR 135

ESPLOSO
RICAMBI
BR 131

ESPLOSO
RICAMBI
BR 131K



berry



- Bidet mixer with swivelling spout complete with:
- with swivel joint and aerator M16x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer with swivelling spout complete with:
- with swivel joint and aerator M16x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

- BR 137..
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- BR 138..
- without pop up waste
 - without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		5.82	8.35	10.21	11.82	13.25	14.63	15.9	17.03	17.99	18.98

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
BR 137

ESPLOSO
RICAMBI
BR 138



berry



- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

ARTICOLO ARTICLE

BR 168D..

- with ABS joint wall bracket
- with hand-shower and flexible hose
- with ABS joint wall bracket
- with hand-shower and flexible hose

BR 168..

- without shower set
- with 1/2"G lower connection
- without shower set
- with 1/2"G lower connection

BR 168R..

- overturned without shower set
- with 3/4"G upper connection
- overturned without shower set
- with 3/4"G upper connection


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		9.58	13.66	16.85	19.44	21.77	23.8	25.7	27.51	29.19	30.65

DOCUMENTI TECNICITECHNICAL DOCUMENTS



berry



- Concealed shower mixer (1 outlet) complete with:
- wall plate 115x140mm
- 1/2" G connections
- Concealed shower mixer (1 outlet) complete with:
- wall plate 115x140mm
- 1/2" G connections

ARTICOLO ARTICLE

BR 010..

- without diverter
- without diverter

ZPRO 013..

- Extension for art. 010
- H43mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
BR 010



berry



- Concealed shower mixer (2 outlets) complete with:
- ABS wall plate 146x216mm
- 1/2"G hot/cold and upper connections - 3/4"G lower connection
- Concealed shower mixer (2 outlets) complete with:
- ABS wall plate 146x216mm
- 1/2"G hot/cold and upper connections - 3/4"G lower connection

ARTICOLO ARTICLE

BR 015..

- with push diverter
- with push diverter

ZPRO 028..

- Extension with diverter for art. 015
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	7.91	11.28	13.76	15.84	17.95	19.65	21.2	22.69	24.09	25.46
	uscita sotto - under outlet	6.58	9.86	12.08	14.01	15.62	17.17	18.51	19.77	20.99	22.16


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
BR 015



berry



- Concealed shower mixer (2 outlets) complete with:
- ABS wall plate 146x216mm
- 1/2"G connections

- Concealed shower mixer (2 outlets) complete with:
- ABS wall plate 146x216mm
- 1/2"G connections

ARTICOLO ARTICLE

BR 018..

- with diverter cartridge (2 outlets + 1 combined position)
- with diverter cartridge (2 outlets + 1 combined position)

ZPRO 068..

- Extension with diverter for artt. 018-019
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita destra - right outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita sinistra - left outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita combinata - combined outlet	6.24	8.89	10.82	12.46	14	15.3	16.48	17.69	18.72	19.75


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
BR 018



berry



- Concealed shower mixer (3 outlets) complete with:
- ABS wall plate 146x216mm
- 1/2" G connections
- Concealed shower mixer (3 outlets) complete with:
- ABS wall plate 146x216mm
- 1/2" G connections

ARTICOLO ARTICLE

BR 019..

- with diverter cartridge (3 outlets + 3 combined positions)
- with diverter cartridge (3 outlets + 3 combined positions)

ZPRO 068..

- Extension with diverter for artt. 018-019
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita destra - right outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita sinistra - left outlet	5.6	7.76	9.49	11.07	12.3	13.49	14.52	15.54	16.43	17.37


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
BR 019



berry



- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

ARTICOLO ARTICLE

BR 023..

- with ABS joint wall bracket
- with hand-shower and flexible hose
- with ABS joint wall bracket
- with hand-shower and flexible hose

BR 026..

- with ABS fixed wall bracket
- with hand-shower and flexible hose
- with ABS fixed wall bracket
- with hand-shower and flexible hose

BR 022..

- without shower set
- without shower set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	7.11	10.13	12.4	14.34	15.95	17.64	18.99	20.38	21.65	22.84
	doccia - hand shower	8.16	12.04	14.82	17.08	19.09	20.91	22.61	24.14	26.78	29.39

DOCUMENTI TECNICITECHNICAL DOCUMENTS





ESPLOSO
RICAMBI
BR 023

ESPLOSO
RICAMBI
BR 026

ESPLOSO
RICAMBI
BR 022





- Universal concealed Box for mixers complete with:
- concealed body
- box

PBOX 001

- Universal concealed Box for mixers complete with:
- concealed body
- box

ARTICOLO ARTICLE

PBOX 001

- without external set
- without external set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	A	8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28
	B	9.2	13	15.6	18	20	22	23.7	25.4	26.8	28.5
	C	9.6	13.4	16	18.5	20.5	22.5	24.2	25.9	27.3	29
	A+B	10	13.8	16.5	19	21	23	24.6	26.4	27.8	29.5
	C+B	10.5	14.3	17	19.5	21.5	23.5	24.9	26.9	28.3	30
	C+A	11	14.8	17.5	20	22	24	25.4	27.4	28.8	30.5



DOCUMENTI TECNICI TECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
PBOX 001



berry



- External set for concealed shower mixer (1 outlet) complete with:
- mixer body
- ABS wall plate Ø173 mm and lever

- External set for concealed shower mixer (1 outlet) complete with:
- mixer body
- ABS wall plate Ø173 mm and lever

ARTICOLO ARTICLE

BR BOX010..

- without diverter
- without diverter

ZPRO BOX010..

- Extension for art. BOX010
- H30mm

BR BOX010

CR- Chrome | Chrome

ZPRO BOX010

- CR- Chrome



DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
BR BOX010



berry



- External set for concealed shower mixer (2 outlets) complete with:
- mixer body
- ABS wall plate Ø173 mm and lever

- External set for concealed shower mixer (2 outlets) complete with:
- mixer body
- ABS wall plate Ø173 mm and lever

ARTICOLO ARTICLE

BR BOX015..

- with push diverter
- with push diverter

ZPRO BOX015..

- Extension with diverter for art. BOX015
- H30mm

BR BOX015

CR- Chrome | Chrome

ZPRO BOX015

- CR- Chrome


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
BR BOX015



berry



- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

- BR 075..
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- BR 071..
- without pop up waste
 - without pop up waste

- BR 071K..
- with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.21	5.95	7.31	8.48	9.5	10.39	11.25	12.08	12.85	13.57

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
BR 075

ESPLOSO
RICAMBI
BR 071

ESPLOSO
RICAMBI
BR 071K

