


level



- Waterfall wash basin mixer complete with:
- set of 2 stainless steel hoses 3/8" G
- Waterfall wash basin mixer complete with:
- set of 2 stainless steel hoses 3/8" G

- LES 065**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- LES 061**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- LES 061K**
CR- Chrome | Chrome

ARTICOLO ARTICLE

- LES 065..**
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- LES 061..**
- without pop up waste
 - without pop up waste

- LES 061K..**
- with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste


RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		1.71	2.34	2.86	3.33	3.74	4.11	4.45	4.72	5.08	5.34

DOCUMENTI TECNICITECHNICAL DOCUMENTS



level



- Tall wash basin mixer complete with:
 - aerator M24x1
 - set of 2 stainless steel hoses 3/8"G
- Tall wash basin mixer complete with:
 - aerator M24x1
 - set of 2 stainless steel hoses 3/8"G

- LES 085**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- LES 081**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- LES 081K**
CR- Chrome | Chrome

ARTICOLO ARTICLE

- LES 085..**
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- LES 081..**
- without pop up waste
 - without pop up waste

- LES 081K..**
- with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.04	5.68	6.89	8.03	8.94	9.81	10.63	11.33	12.02	12.65

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
LES 085

ESPLOSO
RICAMBI
LES 081

ESPLOSO
RICAMBI
LES 081K



level



- Wash basin mixer with swivelling spout complete with:
- aerator M16,5x1
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer with swivelling spout complete with:
- aerator M16,5x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

LEA 877..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

LEA 878..

- without pop up waste
- without pop up waste

LEA 877

CR- Chrome | Chrome

LEA 878

CR- Chrome | Chrome

ST- Steel looking finish | Steel looking finish

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		3.49	5.03	6.15	7.11	7.91	8.7	9.39	10	10.63	11.16

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
LEA 877



ESPLOSO
RICAMBI
LEA 878



level



- Basin tap with swivelling spout complete with:
- aerator M16x1
- ceramic disc valve
- 1/2"G connection

- Basin tap with swivelling spout complete with:
- aerator M16x1
- ceramic disc valve
- 1/2"G connection

ARTICOLO ARTICLE

LEA 091..

- cold water only
- cold water only

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7.76	11.26	13.97	16.22	18.13	19.97	21.64	23.15	24.59	25.85


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
LEA 091



level



- Three-hole wash basin mixer complete with:
- 3 metal bases 60x50mm
- fixed spout with hidden aerator M16.5x1
- set of 4 stainless steel hoses 3/8"G
- Three-hole wash basin mixer complete with:
- 3 metal bases 60x50mm
- fixed spout with hidden aerator M16.5x1
- set of 4 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

LEP 052..

- without pop up waste
- without pop up waste

LEP 053..

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
LEP 052



ESPLOSO
RICAMBI
LEP 053

LEP 052


CR- Chrome | Chrome

LEP 053

CR- Chrome | Chrome



level



- Three-hole concealed basin mixer complete with:
- 3 metal wall plates 60x50mm
- 1/2"G connections
- Three-hole concealed basin mixer complete with:
- 3 metal wall plates 60x50mm
- 1/2"G connections

ARTICOLO ARTICLE

- LEP 003..
- with spout and hidden aerator M16,5x1 - l. 175mm
- with spout and hidden aerator M16,5x1 - l. 175mm

- ZPRO 061..
- Extension set (2 pcs) for artt. 003-004
- H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.79	6.72	8.2	9.34	10.36	11.18	11.84	12.42	12.98	13.43

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
LEP 003

LEP 003
CR- Chrome | Chrome
ZPRO 061



level



- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x100mm
- 1/2"G connections
- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x100mm
- 1/2"G connections

- LES 104**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- LES 105**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- LES 106**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- ZPRO 088**
 - CR- Chrome
 - ST- Steel looking finish

ARTICOLO ARTICLE

- LES 104.. / LEC 104.. / LEA 104..**
 - with spout and aerator M24x1 - l. 150mm
 - with spout and aerator M24x1 - l. 150mm

- LES 105.. / LEC 105.. / LEA 105..**
 - with spout and aerator M24x1 - l. 200mm
 - with spout and aerator M24x1 - l. 200mm

- LES 106.. / LEC 106.. / LEA 106..**
 - with spout and aerator M24x1 - l. 240mm
 - with spout and aerator M24x1 - l. 240mm

- ZPRO 088..**
 - Extension for artt. 104-105-106
 - H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.76	6.55	7.93	9.14	10.22	11.15	12.09	12.92	13.65	14.45




DOCUMENTI TECNICITECHNICAL DOCUMENTS

										
ESPLOSO RICAMBI LES 104	ESPLOSO RICAMBI LEC 104	ESPLOSO RICAMBI LEA 104	ESPLOSO RICAMBI LES 105	ESPLOSO RICAMBI LEC 105	ESPLOSO RICAMBI LEA 105	ESPLOSO RICAMBI LES 106	ESPLOSO RICAMBI LEC 106	ESPLOSO RICAMBI LEA 106		



level



- Bidet mixer complete with:
- swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer complete with:
- swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G

- LES 135**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- LES 131**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- LES 131K**
CR- Chrome | Chrome

ARTICOLO ARTICLE

- LES 135..**
- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

- LES 131..**
- without pop up waste
- without pop up waste

- LES 131K..**
- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		2.98	4.2	5.17	5.94	6.68	7.27	7.82	8.39	8.89	9.37

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
LES 135




ESPLOSO
RICAMBI
LES 131



ESPLOSO
RICAMBI
LES 131K



level



- Bidet mixer with swivelling spout complete with:
- aerator M16,5x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer with swivelling spout complete with:
- aerator M16,5x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

LEA 837..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

LEA 838..

- without pop up waste
- without pop up waste

LEA 837

CR- Chrome | Chrome

LEA 838

CR- Chrome | Chrome

ST- Steel looking finish | Steel looking finish

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		2.84	4.05	4.98	5.7	6.33	6.9	7.39	7.82	8.23	8.6

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
LEA 837

ESPLOSO
RICAMBI
LEA 838



level



- Three-hole bidet mixer complete with:
- 3 metal bases 60x50mm
- fixed spout with hidden aerator M16.5x1
- set of 4 stainless steel hoses 3/8"G

- Three-hole bidet mixer complete with:
- 3 metal bases 60x50mm
- fixed spout with hidden aerator M16.5x1
- set of 4 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

LEP 119 . .

- without pop up waste
- without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		2.86	4.04	4.96	5.74	6.38	6.86	7.36	7.81	8.18	8.53


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
LEP 119



level



- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

- LEC 168D**
 - CR- Chrome | Chrome
 - ST- Steel looking finish | Steel looking finish
- LEC 168**
 - CR- Chrome | Chrome
 - ST- Steel looking finish | Steel looking finish
- LEC 168R**
 - CR- Chrome | Chrome
 - ST- Steel looking finish | Steel looking finish

ARTICOLO ARTICLE

- LEC 168D.. / LEA 168D..**
 - with ABS joint wall bracket
 - with hand-shower and flexible hose
 - with 1/2"G lower connection
 - with ABS joint wall bracket
 - with hand-shower and flexible hose
 - with 1/2"G lower connection
- LEC 168.. / LEA 168..**
 - without shower set
 - with 1/2"G lower connection
 - without shower set
 - with 1/2"G lower connection

- LEC 168R.. / LEA 168R..**
 - overturned without shower set
 - with 3/4"G upper connection
 - overturned without shower set
 - with 3/4"G upper connection

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.56	12.13	14.97	17.27	19.32	21.25	22.93	24.54	26	27.53



DOCUMENTI TECNICITECHNICAL DOCUMENTS







ESPLOSO
RICAMBI
LEC 168D



ESPLOSO
RICAMBI
LEA 168D



ESPLOSO
RICAMBI
LEC 168



ESPLOSO
RICAMBI
LEA 168




ESPLOSO
RICAMBI
LEC 168R



ESPLOSO
RICAMBI
LEA 168R



level



- Concealed shower mixer (1 outlet) complete with:
 - wall plate 110x110mm
 - 1/2"G connections
- Concealed shower mixer (1 outlet) complete with:
 - wall plate 110x110mm
 - 1/2"G connections

- LES 010**
CR- Chrome | Chrome
CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate
ST/M- Steel looking with stainless steel wall plate | Steel looking with stainless steel wall plate
- LEC 010**
CR- Chrome | Chrome
CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate
ST/M- Steel looking with stainless steel wall plate | Steel looking with stainless steel wall plate
- ZPRO 013**
 - CR- Chrome
 - ST- Steel looking finish

ARTICOLO ARTICLE

LES 010.. / LEC 010.. / LEA 010..

- without diverter
- without diverter

LES 010 .. / LEC 010 .. / LEA 010 ..

- without diverter
- without diverter

ZPRO 013..

- Extension for art. 010
- H43mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
LES 010

ESPLOSO
RICAMBI
LEC 010

ESPLOSO
RICAMBI
LEA 010



level



- Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G hot/cold and upper connections - 3/4"G lower connection
- Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G hot/cold and upper connections - 3/4"G lower connection

- LES 015**
CR- Chrome | Chrome
CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate
ST/M- Steel looking with stainless steel wall plate | Steel looking with stainless steel wall plate
- LEC 015**
CR- Chrome | Chrome
CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate
ST/M- Steel looking with stainless steel wall plate | Steel looking with stainless steel wall plate
- ZPRO 028**
 - CR- Chrome
 - ST- Steel looking finish

ARTICOLO ARTICLE

LES 015.. / LEC 015.. / LEA 015..

- with push diverter
- with push diverter

LES 015 .. / LEC 015 .. / LEA 015 ..

- with push diverter
- with push diverter

ZPRO 028..

- Extension with diverter for art. 015
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	7.91	11.28	13.76	15.84	17.95	19.65	21.2	22.69	24.09	25.46
	uscita sotto - under outlet	6.58	9.86	12.08	14.01	15.62	17.17	18.51	19.77	20.99	22.16



DOCUMENTI TECNICI TECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
LES 015




ESPLOSO
RICAMBI
LEC 015



ESPLOSO
RICAMBI
LEA 015



level



- Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G connections
- Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G connections

- LES 018**
CR- Chrome | Chrome
CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate
ST/M- Steel looking with stainless steel wall plate | Steel looking with stainless steel wall plate
- LEC 018**
CR- Chrome | Chrome
CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate
ST/M- Steel looking with stainless steel wall plate | Steel looking with stainless steel wall plate
- ZPRO 068**
 - CR- Chrome
 - ST- Steel looking finish

ARTICOLO ARTICLE

- LES 018.. / LEC 018.. / LEA 018..**
- with diverter cartridge (2 outlets + 1 combined position)
 - with diverter cartridge (2 outlets + 1 combined position)

- LES 018 . . / LEC 018 . . / LEA 018 . .**
- with diverter cartridge (2 outlets + 1 combined position)
 - with diverter cartridge (2 outlets + 1 combined position)

- ZPRO 068..**
- Extension with diverter for artt. 018-019
 - H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita destra - right outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita sinistra - left outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita combinata - combined outlet	6.24	8.89	10.82	12.46	14	15.3	16.48	17.69	18.72	19.75



DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
LES 018




ESPLOSO
RICAMBI
LEC 018



ESPLOSO
RICAMBI
LEA 018



level



- Concealed shower mixer (3 outlets) complete with:
 - wall plate 120x190mm
 - 1/2" G connections
- Concealed shower mixer (3 outlets) complete with:
 - wall plate 120x190mm
 - 1/2" G connections

- LES 019**
CR- Chrome | Chrome
CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate
ST/M- Steel looking with stainless steel wall plate | Steel looking with stainless steel wall plate
- LEC 019**
CR- Chrome | Chrome
CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate
ST/M- Steel looking with stainless steel wall plate | Steel looking with stainless steel wall plate
- ZPRO 068**
 - CR- Chrome
 - ST- Steel looking finish

ARTICOLO ARTICLE

- LES 019.. / LEC 019.. / LEA 019..**
- with diverter cartridge (3 outlets + 3 combined positions)
 - with diverter cartridge (3 outlets + 3 combined positions)

- LES 019 .. / LEC 019 .. / LEA 019 ..**
- with diverter cartridge (3 outlets + 3 combined positions)
 - with diverter cartridge (3 outlets + 3 combined positions)

- ZPRO 068..**
- Extension with diverter for artt. 018-019
 - H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita destra - right outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita sinistra - left outlet	5.6	7.76	9.49	11.07	12.3	13.49	14.52	15.54	16.43	17.37



DOCUMENTI TECNICI TECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
LES 019




ESPLOSO
RICAMBI
LEC 019



ESPLOSO
RICAMBI
LEA 019



level



- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

- LEC 023**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- LEC 026**
CR- Chrome | Chrome
- LEC 022**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish

ARTICOLO ARTICLE

- LEC 023.. / LEA 023..**
- with ABS joint wall bracket
 - with hand-shower and flexible hose
 - with ABS joint wall bracket
 - with hand-shower and flexible hose

- LEC 026.. / LEA 026..**
- with ABS fixed wall bracket
 - with hand-shower and flexible hose
 - with ABS fixed wall bracket
 - with hand-shower and flexible hose

- LEC 022.. / LEA 022..**
- without shower set
 - without shower set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	7.48	10.6	12.97	14.99	16.73	18.4	19.83	21.34	22.56	23.81
	doccia - hand shower	4.64	6.58	8.14	9.44	10.61	11.69	12.64	13.59	14.5	15.4

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
LEC 023

ESPLOSO
RICAMBI
LEA 023

ESPLOSO
RICAMBI
LEC 026


ESPLOSO
RICAMBI
LEA 026

ESPLOSO
RICAMBI
LEC 022

ESPLOSO
RICAMBI
LEA 022



level



- Deck mounted mixer with diverter complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight
- Deck mounted mixer with diverter complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight

ARTICOLO ARTICLE

LES 040.. / LEC 040.. / LEA 040..

- with waterfall spout (3 holes)
- with waterfall spout (3 holes)

LES 041.. / LEC 041.. / LEA 041..

- without spout (2 holes)
- without spout (2 holes)


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	5.37	7.83	9.82	11.52	12.98	14.33	15.58	16.78	17.85	18.83
	doccia - hand shower	3.63	5.63	7.18	8.64	9.97	11.11	12.17	13.16	14.07	14.95

DOCUMENTI TECNICITECHNICAL DOCUMENTS



level



- Deck mounted bath mixer with diverter complete with:
- pull-out hand-shower
- set of 5 stainless steel hoses
- flexible hose with ecological weight for hand-shower
- Deck mounted bath mixer with diverter complete with:
- pull-out hand-shower
- set of 5 stainless steel hoses
- flexible hose with ecological weight for hand-shower

LEP 044
CR- Chrome | Chrome

ARTICOLO ARTICLE

- LEP 044..
- with waterfall spout (5 holes)
 - with waterfall spout (5 holes)


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		5.2	7.65	9.49	11.07	12.36	13.64	14.72	15.75	16.75	17.59

DOCUMENTI TECNICITECHNICAL DOCUMENTS



level



- Built-in tap complete with:
- metal wall plate 60x50mm
- 1/2"G connections

- Built-in tap complete with:
- metal wall plate 60x50mm
- 1/2"G connections

ARTICOLO ARTICLE

LEP 004..

- with 1 inlet - 1 outlet
- with 1 inlet - 1 outlet

ZPRO 061..

- Extension set (2 pcs) for artt. 003-004
- H20mm

LEP 004

CR- Chrome | Chrome


ZPRO 061

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
LEP 004





- PBOX 001

- Universal concealed Box for mixers complete with:
- concealed body
- box

PBOX 001

- without external set
- without external set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	A	8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28
	B	9.2	13	15.6	18	20	22	23.7	25.4	26.8	28.5
	C	9.6	13.4	16	18.5	20.5	22.5	24.2	25.9	27.3	29
	A+B	10	13.8	16.5	19	21	23	24.6	26.4	27.8	29.5
	C+B	10.5	14.3	17	19.5	21.5	23.5	24.9	26.9	28.3	30
	C+A	11	14.8	17.5	20	22	24	25.4	27.4	28.8	30.5



DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
PBOX 001



level



- External set for concealed shower mixer (1 outlet) complete with:
- mixer body
- ABS wall plate 154x192mm and lever

- External set for concealed shower mixer (1 outlet) complete with:
- mixer body
- ABS wall plate 154x192mm and lever

ARTICOLO ARTICLE

LES BOX010.. / LEC BOX010.. / LEA BOX010..

- without diverter
- without diverter

ZPRO BOX010..

- Extension for art. BOX010
- H30mm

LES BOX010

CR- Chrome | Chrome

ZPRO BOX010

- CR- Chrome

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
LES BOX010





ESPLOSO
RICAMBI
LEC BOX010



ESPLOSO
RICAMBI
LEA BOX010



level



- External set for concealed shower mixer (2 outlets) complete with:
- mixer body
- ABS wall plate 154x192mm and lever
- External set for concealed shower mixer (2 outlets) complete with:
- mixer body
- ABS wall plate 154x192mm and lever

LES BOX015

CR- Chrome | Chrome

ST/M- Steel looking with stainless steel wall plate | Steel looking with stainless steel wall plate

ZPRO BOX015

- CR- Chrome
- ST- Steel looking finish

ARTICOLO ARTICLE

LES BOX015.. / LEC BOX015.. / LEA BOX015..

- with push diverter
- with push diverter

ZPRO BOX015..

- Extension with diverter for art. BOX015
- H30mm

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
LES BOX015




ESPLOSO
RICAMBI
LEC BOX015



ESPLOSO
RICAMBI
LEA BOX015



level



- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

- LES 075**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- LES 071**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- LES 071K**
CR- Chrome | Chrome

ARTICOLO ARTICLE

- LES 075..**
 - with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- LES 071..**
 - without pop up waste
 - without pop up waste

- LES 071K..**
 - with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		2.89	4.06	4.96	5.93	6.62	7.2	7.8	8.38	8.87	9.4

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
LES 075




ESPLOSO
RICAMBI
LES 071



ESPLOSO
RICAMBI
LES 071K



level



- Built-in tap complete with:
- metal wall plate 60x50mm
- 1/2"G connections

- Built-in tap complete with:
- metal wall plate 60x50mm
- 1/2"G connections

ARTICOLO ARTICLE

LEP 004..

- with 1 inlet - 1 outlet
- with 1 inlet - 1 outlet

ZPRO 061..

- Extension set (2 pcs) for artt. 003-004
- H20mm

LEP 004

CR- Chrome | Chrome

ZPRO 061


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
LEP 004



level



- Three-hole concealed basin mixer complete with:
- 3 metal wall plates 60x50mm
- 1/2"G connections
- Three-hole concealed basin mixer complete with:
- 3 metal wall plates 60x50mm
- 1/2"G connections

ARTICOLO ARTICLE

LEP 003..

- with spout and hidden aerator M16,5x1 - l. 175mm
- with spout and hidden aerator M16,5x1 - l. 175mm

ZPRO 061..

- Extension set (2 pcs) for artt. 003-004
- H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.79	6.72	8.2	9.34	10.36	11.18	11.84	12.42	12.98	13.43

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
LEP 003


LEP 003

CR- Chrome | Chrome

ZPRO 061



level



- Deck mounted bath mixer with diverter complete with:
- pull-out hand-shower
- set of 5 stainless steel hoses
- flexible hose with ecological weight for hand-shower
- Deck mounted bath mixer with diverter complete with:
- pull-out hand-shower
- set of 5 stainless steel hoses
- flexible hose with ecological weight for hand-shower

LEP 044
CR- Chrome | Chrome

ARTICOLO ARTICLE

- LEP 044..**
- with waterfall spout (5 holes)
 - with waterfall spout (5 holes)


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		5.2	7.65	9.49	11.07	12.36	13.64	14.72	15.75	16.75	17.59

DOCUMENTI TECNICITECHNICAL DOCUMENTS



level



- Three-hole wash basin mixer complete with:
 - 3 metal bases 60x50mm
 - fixed spout with hidden aerator M16.5x1
 - set of 4 stainless steel hoses 3/8"G
- Three-hole wash basin mixer complete with:
 - 3 metal bases 60x50mm
 - fixed spout with hidden aerator M16.5x1
 - set of 4 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

LEP 052..

- without pop up waste
- without pop up waste

LEP 053..

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
LEP 052



ESPLOSO
RICAMBI
LEP 053

LEP 052


CR- Chrome | Chrome

LEP 053

CR- Chrome | Chrome



level



- Three-hole bidet mixer complete with:
- 3 metal bases 60x50mm
- fixed spout with hidden aerator M16.5x1
- set of 4 stainless steel hoses 3/8"G

LEP 119
CR- Chrome | Chrome

- Three-hole bidet mixer complete with:
- 3 metal bases 60x50mm
- fixed spout with hidden aerator M16.5x1
- set of 4 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

LEP 119 . .

- without pop up waste
- without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		2.86	4.04	4.96	5.74	6.38	6.86	7.36	7.81	8.18	8.53

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
LEP 119

