


rock



- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8" G
- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8" G

RO 075

CR-Chrome | Chrome

ST- Steel looking finish | Steel looking finish

RO 071

CR-Chrome | Chrome

ST- Steel looking finish | Steel looking finish

RO 071K

CR-Chrome | Chrome

ARTICOLO ARTICLE

RO 075..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

RO 071..

- without pop up waste
- without pop up waste

RO 071K..

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.51	6.28	7.72	8.94	9.96	10.89	11.76	12.57	13.31	14.03

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
RO 075

ESPLOSO
RICAMBI
RO 071

ESPLOSO
RICAMBI
RO 071K



rock



- Tall wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Tall wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

- RO 085**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- RO 081**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- RO 081K**
CR- Chrome | Chrome

ARTICOLO ARTICLE

- RO 085..**
 - with 1"1/4G pop up waste
 - with 1"1/4G pop up waste
- RO 081..**
 - without pop up waste
 - without pop up waste
- RO 081K..**
 - with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.13	5.89	7.3	8.43	9.41	10.37	11.19	11.97	12.72	13.4

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
RO 085

ESPLOSO
RICAMBI
RO 081

ESPLOSO
RICAMBI
RO 081K





- RO 104..70**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- RO 105..70**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- RO 106..70**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- ZPRO 088**
- CR- Chrome
 - ST- Steel looking finish

RO 104..70

- RO 105..70

- RO 106..70

- ZPRO 088..

- Extension for artt. 104..70-105..70-106..70
- H20mm




ESPLOSO
RICAMBI
RO 104..70

ESPLOSO
RICAMBI
RO 105..70

ESPLOSO
RICAMBI
RO 106..70



rock



- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x100mm
- 1/2"G connections
- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x100mm
- 1/2"G connections

- RO 104**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- RO 105**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- RO 106**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- ZPRO 088**
 - CR- Chrome
 - ST- Steel looking finish

ARTICOLO ARTICLE

- RO 104..**
 - with spout and aerator M24x1 - l. 150mm
 - with spout and aerator M24x1 - l. 150mm

- RO 105..**
 - with spout and aerator M24x1 - l. 200mm
 - with spout and aerator M24x1 - l. 200mm

- RO 106..**
 - with spout and aerator M24x1 - l. 240mm
 - with spout and aerator M24x1 - l. 240mm

- ZPRO 088..**
 - Extension for artt. 104-105-106
 - H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.76	6.55	7.93	9.14	10.22	11.15	12.09	12.92	13.65	14.45



DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RO 104




ESPLOSO
RICAMBI
RO 105



ESPLOSO
RICAMBI
RO 106



rock



- Bidet mixer complete with:
- swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer complete with:
- swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G

- RO 135**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- RO 131**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- RO 131K**
CR- Chrome | Chrome

ARTICOLO ARTICLE

- RO 135..**
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- RO 131..**
- without pop up waste
 - without pop up waste

- RO 131K..**
- with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste


RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.06	5.65	6.91	8	8.93	9.76	10.52	11.26	11.94	12.59

DOCUMENTI TECNICITECHNICAL DOCUMENTS



rock



- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

RO 168D
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish

RO 168
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish

ARTICOLO ARTICLE

- RO 168D..**
- with ABS joint wall bracket
 - with hand-shower and flexible hose
 - with ABS joint wall bracket
 - with hand-shower and flexible hose

- RO 168..**
- without shower set
 - with 1/2"G lower connection
 - without shower set
 - with 1/2"G lower connection

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.82	12.68	15.41	17.93	20.08	21.93	23.81	25.69	27.33	28.66

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
RO 168D

ESPLOSO
RICAMBI
RO 168



rock



- Concealed shower mixer (1 outlet) complete with:
- wall plate 110x110mm
- 1/2"G connections
- Concealed shower mixer (1 outlet) complete with:
- wall plate 110x110mm
- 1/2"G connections

- RO 010**
CR- Chrome | Chrome
CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate
ST/M- Steel looking with stainless steel wall plate | Steel looking with stainless steel wall plate
- ZPRO 013**
• CR- Chrome
• ST- Steel looking finish

ARTICOLO ARTICLE

- RO 010..**
- without diverter
 - without diverter
- ZPRO 013..**
- Extension for art. 010
 - H43mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RO 010



rock



-
- Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G hot/cold and upper connections - 3/4"G lower connection
 - Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G hot/cold and upper connections - 3/4"G lower connection

RO 015

CR- Chrome | Chrome

CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate

ST/M- Steel looking with stainless steel wall plate | Steel looking with stainless steel wall plate

ZPRO 028

- CR- Chrome
- ST- Steel looking finish

ARTICOLO ARTICLE

RO 015..

- with push diverter
- with push diverter

ZPRO 028..

- Extension with diverter for art. 015
- H30mm


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RO 015



rock



-
- Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G connections
 - Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G connections

RO 018

CR- Chrome | Chrome

CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate

ST/M- Steel looking with stainless steel wall plate | Steel looking with stainless steel wall plate

ZPRO 068

- CR- Chrome
- ST- Steel looking finish

ARTICOLO ARTICLE

RO 018..

- with diverter cartridge (2 outlets + 1 combined position)
- with diverter cartridge (2 outlets + 1 combined position)

ZPRO 068..

- Extension with diverter for artt. 018-019
- H30mm


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RO 018



rock



- Concealed shower mixer (3 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G connections
- Concealed shower mixer (3 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G connections

- RO 019**
CR- Chrome | Chrome
CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate
ST/M- Steel looking with stainless steel wall plate | Steel looking with stainless steel wall plate
- ZPRO 068**
 - CR- Chrome
 - ST- Steel looking finish

ARTICOLO ARTICLE

- RO 019..**
- with diverter cartridge (3 outlets + 3 combined positions)
 - with diverter cartridge (3 outlets + 3 combined positions)

- ZPRO 068..**
- Extension with diverter for artt. 018-019
 - H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita destra - right outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita sinistra - left outlet	5.6	7.76	9.49	11.07	12.3	13.49	14.52	15.54	16.43	17.37


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RO 019



rock



- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

ARTICOLO ARTICLE

RO 023..

- with ABS joint wall bracket
- with hand-shower and flexible hose
- with ABS joint wall bracket
- with hand-shower and flexible hose

RO 026..

- with ABS fixed wall bracket
- with hand-shower and flexible hose
- with ABS fixed wall bracket
- with hand-shower and flexible hose

RO 022..

- without shower set
- without shower set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	6.67	9.68	11.95	13.96	15.6	17.18	18.63	19.99	21.19	22.32
	doccia - hand shower	5.62	8.1	10.05	11.65	13.01	14.35	15.55	16.65	17.74	18.68

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
RO 023

ESPLOSO
RICAMBI
RO 026

ESPLOSO
RICAMBI
RO 022



rock



- Concealed bath/shower mixer (2 outlets) complete with:
 - stainless steel wall plate 350x120mm
 - spout with aerator M28x1 - l. 192mm
 - hand shower and flexible hose
 - 1/2"G connections
- Concealed bath/shower mixer (2 outlets) complete with:
 - stainless steel wall plate 350x120mm
 - spout with aerator M28x1 - l. 192mm
 - hand shower and flexible hose
 - 1/2"G connections

ARTICOLO ARTICLE

RO 001..

- with push diverter
- with push diverter

ZPRO 056..

- Extension with diverter for art. 001
- H20mm


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	6.66	9.47	11.68	13.53	15.12	16.55	17.96	19.18	20.35	21.46
	doccia - hand shower	5	7.28	8.95	10.32	11.64	12.85	13.96	14.93	15.82	16.86

DOCUMENTI TECNICITECHNICAL DOCUMENTS



rock



- Deck mounted mixer with diverter complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight
- Deck mounted mixer with diverter complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight

ARTICOLO ARTICLE

RO 040..

- with waterfall spout (3 holes)
- with waterfall spout (3 holes)

RO 041..

- without spout (2 holes)
- without spout (2 holes)

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	5.37	7.83	9.82	11.52	12.98	14.33	15.58	16.78	17.85	18.83
	doccia - hand shower	3.63	5.63	7.18	8.64	9.97	11.11	12.17	13.16	14.07	14.95

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RO 040



ESPLOSO
RICAMBI
RO 041

