


elle-effe



- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

EL 075.. / EF 075..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

EL 071.. / EF 071..

- without pop up waste
- without pop up waste

EL 071K.. / EF 071K..

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		2.69	3.98	4.84	5.67	6.39	7.06	7.59	8.17	8.66	9.14

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
EF 075

ESPLOSO
RICAMBI
EF 071

ESPLOSO
RICAMBI
EF 071K



elle-effe



- Medium wash basin mixer complete with:
 - aerator M24x1
 - set of 2 stainless steel hoses 3/8"G
- Medium wash basin mixer complete with:
 - aerator M24x1
 - set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

EL 073.. / EF 073..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

EL 074.. / EF 074..

- without pop up waste
- without pop up waste

EL 074K.. / EF 074K..

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		2.6	3.74	4.7	5.42	6.11	6.69	7.25	7.8	8.29	8.76

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EL 073




ESPLOSO
RICAMBI
EL 074



ESPLOSO
RICAMBI
EL 074K



elle-effe



- Medium wash basin mixer complete with:
 - aerator M24x1
 - set of 2 stainless steel hoses 3/8" G
- Medium wash basin mixer complete with:
 - aerator M24x1
 - set of 2 stainless steel hoses 3/8" G

ARTICOLO ARTICLE

EL 073.. / EF 073..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

EL 074.. / EF 074..

- without pop up waste
- without pop up waste

EL 074K.. / EF 074K..

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		2.6	3.74	4.7	5.42	6.11	6.69	7.25	7.8	8.29	8.76

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EF 073




ESPLOSO
RICAMBI
EF 074



ESPLOSO
RICAMBI
EF 074K



elle-effe



- Tall wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Tall wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

EL 085.. / EF 085..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

EL 081.. / EF 081..

- without pop up waste
- without pop up waste

EL 081K.. / EF 081K..

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		2.71	3.87	4.75	5.58	6.21	6.81	7.39	7.89	8.41	8.89

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EL 085




ESPLOSO
RICAMBI
EL 081



ESPLOSO
RICAMBI
EL 081K



elle-effe



- Tall wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Tall wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

EL 085.. / EF 085..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

EL 081.. / EF 081..

- without pop up waste
- without pop up waste

EL 081K.. / EF 081K..

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		2.71	3.87	4.75	5.58	6.21	6.81	7.39	7.89	8.41	8.89

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
EF 085

ESPLOSO
RICAMBI
EF 081

ESPLOSO
RICAMBI
EF 081K



elle-effe



- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

- ELX 075..
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- ELX 071..
- without pop up waste
 - without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		2.69	3.98	4.84	5.67	6.39	7.06	7.59	8.17	8.66	9.14

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
ELX 075



ESPLOSO
RICAMBI
ELX 071



elle-effe



- Medium wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Medium wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

- ELX 073..
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- ELX 074..
- without pop up waste
 - without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		2.6	3.74	4.7	5.42	6.11	6.69	7.25	7.8	8.29	8.76

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
ELX 073



ESPLOSO
RICAMBI
ELX 074



elle-effe



- Tall wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Tall wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

- ELX 085..
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- ELX 081..
- without pop up waste
 - without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		2.71	3.87	4.75	5.58	6.21	6.81	7.39	7.89	8.41	8.89

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
ELX 085



ESPLOSO
RICAMBI
ELX 081



elle-effe



- Concealed single lever basin mixer complete with:
- stainless steel wall plates 70x70mm
- 1/2"G connections
- Concealed single lever basin mixer complete with:
- stainless steel wall plates 70x70mm
- 1/2"G connections

EL 104..70

CR- Chrome | Chrome

EL 105..70

CR- Chrome | Chrome

EL 106..70

CR- Chrome | Chrome

ZPRO 088

- CR- Chrome

ARTICOLO ARTICLE

EL 104..70 / EF 104..70

- with spout and aerator M24x1 - l. 150mm
- with spout and aerator M24x1 - l. 150mm

EL 105..70 / EF 105..70

- with spout and aerator M24x1 - l. 200mm
- with spout and aerator M24x1 - l. 200mm

EL 106..70 / EF 106..70

- with spout and aerator M24x1 - l. 240mm
- with spout and aerator M24x1 - l. 240mm

ZPRO 088..

- Extension for artt. 104 . .70 -105 . .70-106 . .70
- H20mm

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EL 104..70




ESPLOSO
RICAMBI
EL 105..70



ESPLOSO
RICAMBI
EL 106..70





- EF 104..70**
CR- Chrome | Chrome
- EF 105..70**
CR- Chrome | Chrome
- EF 106..70**
CR- Chrome | Chrome
- ZPRO 088**
● CR- Chrome

EL 104..70 / EF 104..70

- with spout and aerator M24x1 - l. 150mm
- with spout and aerator M24x1 - l. 150mm

EL 105..70 / EF 105..70

- with spout and aerator M24x1 - l. 200mm
- with spout and aerator M24x1 - l. 200mm

EL 106..70 / EF 106..70

- with spout and aerator M24x1 - l. 240mm
- with spout and aerator M24x1 - l. 240mm

ZPRO 088..

- Extension for artt. 104 ..70 -105 .. 70-106 .. 70
- H20mm

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
EF 104..70

ESPLOSO
RICAMBI
EF 105..70

ESPLOSO
RICAMBI
EF 106..70





- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x100mm
- 1/2"G connections
- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x100mm
- 1/2"G connections

- EL 104**
CR- Chrome | Chrome
- EL 105**
CR- Chrome | Chrome
- EL 106**
CR- Chrome | Chrome
- ZPRO 088**
• CR- Chrome

ARTICOLO ARTICLE

EL 104.. / EF 104..

- with spout and aerator M24x1 - l. 150mm
- with spout and aerator M24x1 - l. 150mm

EL 105.. / EF 105..

- with spout and aerator M24x1 - l. 200mm
- with spout and aerator M24x1 - l. 200mm

EL 106.. / EF 106..

- with spout and aerator M24x1 - l. 240mm
- with spout and aerator M24x1 - l. 240mm

ZPRO 088..

- Extension for artt. 104-105-106
- H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.76	6.55	7.93	9.14	10.22	11.15	12.09	12.92	13.65	14.45

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EL 104




ESPLOSO
RICAMBI
EL 105



ESPLOSO
RICAMBI
EL 106





- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x100mm
- 1/2"G connections
- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x100mm
- 1/2"G connections

- EF 104**
CR- Chrome | Chrome
- EF 105**
CR- Chrome | Chrome
- EF 106**
CR- Chrome | Chrome
- ZPRO 088**
• CR- Chrome

ARTICOLO ARTICLE

EL 104.. / EF 104..

- with spout and aerator M24x1 - l. 150mm
- with spout and aerator M24x1 - l. 150mm

EL 105.. / EF 105..

- with spout and aerator M24x1 - l. 200mm
- with spout and aerator M24x1 - l. 200mm

EL 106.. / EF 106..

- with spout and aerator M24x1 - l. 240mm
- with spout and aerator M24x1 - l. 240mm

ZPRO 088..

- Extension for artt. 104-105-106
- H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.76	6.55	7.93	9.14	10.22	11.15	12.09	12.92	13.65	14.45

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EF 104




ESPLOSO
RICAMBI
EF 105



ESPLOSO
RICAMBI
EF 106



elle-effe



- Wash basin mixer with swivelling spout complete with:
- aerator M16,5x1
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer with swivelling spout complete with:
- aerator M16,5x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

EL 877.. / EF 877..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

EL 878.. / EF 878..

- without pop up waste
- without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		3.49	5.03	6.15	7.11	7.91	8.7	9.39	10	10.63	11.16

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
EL 877



ESPLOSO
RICAMBI
EL 878



elle-effe



- Wash basin mixer with swivelling spout complete with:
- aerator M16,5x1
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer with swivelling spout complete with:
- aerator M16,5x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

EL 877.. / EF 877..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

EL 878.. / EF 878..

- without pop up waste
- without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		3.49	5.03	6.15	7.11	7.91	8.7	9.39	10	10.63	11.16

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
EF 877



ESPLOSO
RICAMBI
EF 878



elle-effe



- Bidet mixer complete with:
- swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer complete with:
- swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

EL 135.. / EF 135..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

EL 131.. / EF 131..

- without pop up waste
- without pop up waste

EL 131K.. / EF 131K..

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		2.75	3.88	4.74	5.52	6.19	6.84	7.44	7.96	8.46	8.89

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
EL 135

ESPLOSO
RICAMBI
EL 131

ESPLOSO
RICAMBI
EL 131K



elle-effe



- Bidet mixer complete with:
- swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer complete with:
- swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

EL 135.. / EF 135..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

EL 131.. / EF 131..

- without pop up waste
- without pop up waste

EL 131K.. / EF 131K..

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		2.75	3.88	4.74	5.52	6.19	6.84	7.44	7.96	8.46	8.89

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
EF 135

ESPLOSO
RICAMBI
EF 131

ESPLOSO
RICAMBI
EF 131K



elle-effe



- Bidet mixer complete with:
- swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer complete with:
- swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

- ELX 135..
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- ELX 131..
- without pop up waste
 - without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		2.75	3.88	4.74	5.52	6.19	6.84	7.44	7.96	8.46	8.89

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
ELX 135



ESPLOSO
RICAMBI
ELX 131



elle-effe



- Bidet mixer with swivelling spout complete with:
- aerator M16,5x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer with swivelling spout complete with:
- aerator M16,5x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

EL 837.. / EF 837..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

EL 838.. / EF 838..

- without pop up waste
- without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		3.65	5.2	6.42	7.46	8.29	9.09	9.83	10.47	11.12	11.69

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
EL 837



ESPLOSO
RICAMBI
EL 838



elle-effe



- Bidet mixer with swivelling spout complete with:
- aerator M16,5x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer with swivelling spout complete with:
- aerator M16,5x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

EL 837.. / EF 837..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

EL 838.. / EF 838..

- without pop up waste
- without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		3.65	5.2	6.42	7.46	8.29	9.09	9.83	10.47	11.12	11.69

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
EF 837



ESPLOSO
RICAMBI
EF 838





- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

EL 168D
CR- Chrome | Chrome
EL 168
CR- Chrome | Chrome
EL 168R
CR- Chrome | Chrome

ARTICOLO ARTICLE

- EL 168D.. / EF 168D..**
- with ABS joint wall bracket
 - with hand-shower and flexible hose
 - with ABS joint wall bracket
 - with hand-shower and flexible hose

- EL 168.. / EF 168..**
- without shower set
 - with 1/2"G lower connection
 - without shower set
 - with 1/2"G lower connection

- EL 168R.. / EF 168R..**
- overturned without shower set
 - with 3/4"G upper connection
 - overturned without shower set
 - with 3/4"G upper connection

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.56	12.13	14.97	17.27	19.32	21.25	22.93	24.54	26	27.53

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EL 168D




ESPLOSO
RICAMBI
EL 168



ESPLOSO
RICAMBI
EL 168R





- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

EF 168D
CR- Chrome | Chrome
EF 168
CR- Chrome | Chrome
EF 168R
CR- Chrome | Chrome

ARTICOLO ARTICLE

- EL 168D.. / EF 168D..**
- with ABS joint wall bracket
 - with hand-shower and flexible hose
 - with ABS joint wall bracket
 - with hand-shower and flexible hose

- EL 168.. / EF 168..**
- without shower set
 - with 1/2"G lower connection
 - without shower set
 - with 1/2"G lower connection

- EL 168R.. / EF 168R..**
- overturned without shower set
 - with 3/4"G upper connection
 - overturned without shower set
 - with 3/4"G upper connection

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.56	12.13	14.97	17.27	19.32	21.25	22.93	24.54	26	27.53

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EF 168D




ESPLOSO
RICAMBI
EF 168



ESPLOSO
RICAMBI
EF 168R



elle-effe



- Concealed shower mixer (1 outlet) complete with:
- wall plate 110x110mm
- 1/2"G connections
- Concealed shower mixer (1 outlet) complete with:
- wall plate 110x110mm
- 1/2"G connections

ARTICOLO ARTICLE

EL 010.. / EF 010..

- without diverter
- without diverter

ZPRO 013..

- Extension for art. 010
- H43mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EL 010

EL 010

CR- Chrome | Chrome


CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate

ZPRO 013

- CR- Chrome



elle-effe



- Concealed shower mixer (1 outlet) complete with:
- wall plate 110x110mm
- 1/2" G connections
- Concealed shower mixer (1 outlet) complete with:
- wall plate 110x110mm
- 1/2" G connections

ARTICOLO ARTICLE

EL 010.. / EF 010..

- without diverter
- without diverter

ZPRO 013..


- Extension for art. 010
- H43mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28

DOCUMENTI TECNICITECHNICAL DOCUMENTS





- Concealed shower mixer (2 outlets) complete with:
- wall plate 120x190mm
- 1/2"G hot/cold and upper connections - 3/4"G lower connection
- Concealed shower mixer (2 outlets) complete with:
- wall plate 120x190mm
- 1/2"G hot/cold and upper connections - 3/4"G lower connection

ARTICOLO ARTICLE

EL 015.. / EF 015..

- with push diverter
- with push diverter

ZPRO 028..

- Extension with diverter for art. 015
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	7.91	11.28	13.76	15.84	17.95	19.65	21.2	22.69	24.09	25.46
	uscita sotto - under outlet	6.58	9.86	12.08	14.01	15.62	17.17	18.51	19.77	20.99	22.16


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EL 015



elle-effe



- Concealed shower mixer (2 outlets) complete with:
- wall plate 120x190mm
- 1/2"G hot/cold and upper connections - 3/4"G lower connection
- Concealed shower mixer (2 outlets) complete with:
- wall plate 120x190mm
- 1/2"G hot/cold and upper connections - 3/4"G lower connection

ARTICOLO ARTICLE

EL 015.. / EF 015..

- with push diverter
- with push diverter

ZPRO 028..

- Extension with diverter for art. 015
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT


		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	7.91	11.28	13.76	15.84	17.95	19.65	21.2	22.69	24.09	25.46
	uscita sotto - under outlet	6.58	9.86	12.08	14.01	15.62	17.17	18.51	19.77	20.99	22.16

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EF 015





- Concealed shower mixer (2 outlets) complete with:
- wall plate 120x190mm
- 1/2"G connections

- Concealed shower mixer (2 outlets) complete with:
- wall plate 120x190mm
- 1/2"G connections

ARTICOLO ARTICLE

EL 018.. / EF 018..

- with diverter cartridge (2 outlets + 1 combined position)
- with diverter cartridge (2 outlets + 1 combined position)

ZPRO 068..

- Extension with diverter for artt. 018-019
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT


		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita destra - right outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita sinistra - left outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita combinata - combined outlet	6.24	8.89	10.82	12.46	14	15.3	16.48	17.69	18.72	19.75

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EL 018





- Concealed shower mixer (2 outlets) complete with:
- wall plate 120x190mm
- 1/2"G connections

- Concealed shower mixer (2 outlets) complete with:
- wall plate 120x190mm
- 1/2"G connections

ARTICOLO ARTICLE

EL 018.. / EF 018..

- with diverter cartridge (2 outlets + 1 combined position)
- with diverter cartridge (2 outlets + 1 combined position)

ZPRO 068..

- Extension with diverter for artt. 018-019
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita destra - right outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita sinistra - left outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita combinata - combined outlet	6.24	8.89	10.82	12.46	14	15.3	16.48	17.69	18.72	19.75

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EF 018

EF 018


CR- Chrome | Chrome

CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate

ZPRO 068

- CR- Chrome





- Concealed shower mixer (3 outlets) complete with:
 - wall plate 120x190mm
 - 1/2" G connections
- Concealed shower mixer (3 outlets) complete with:
 - wall plate 120x190mm
 - 1/2" G connections

ARTICOLO ARTICLE

EL 019.. / EF 019..

- with diverter cartridge (3 outlets + 3 combined positions)
- with diverter cartridge (3 outlets + 3 combined positions)

ZPRO 068..

- Extension with diverter for artt. 018-019
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT


		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita destra - right outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita sinistra - left outlet	5.6	7.76	9.49	11.07	12.3	13.49	14.52	15.54	16.43	17.37

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EL 019





- Concealed shower mixer (3 outlets) complete with:
- wall plate 120x190mm
- 1/2"G connections

- Concealed shower mixer (3 outlets) complete with:
- wall plate 120x190mm
- 1/2"G connections

ARTICOLO ARTICLE

EL 019.. / EF 019..

- with diverter cartridge (3 outlets + 3 combined positions)
- with diverter cartridge (3 outlets + 3 combined positions)

ZPRO 068..

- Extension with diverter for artt. 018-019
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita destra - right outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita sinistra - left outlet	5.6	7.76	9.49	11.07	12.3	13.49	14.52	15.54	16.43	17.37

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EF 019

EF 019


CR- Chrome | Chrome

CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate

ZPRO 068

- CR- Chrome





- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

ARTICOLO ARTICLE

EL 023.. / EF 023..

- with ABS joint wall bracket
- with hand-shower and flexible hose
- with ABS joint wall bracket
- with hand-shower and flexible hose

EL 026.. / EF 026..

- with ABS fixed wall bracket
- with hand-shower and flexible hose
- with ABS fixed wall bracket
- with hand-shower and flexible hose

EL 022.. / EF 022..

- without shower set
- without shower set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	6.72	9.77	11.82	13.76	15.35	16.87	18.21	19.58	20.75	21.79
	doccia - hand shower	5.6	7.9	9.71	11.16	12.52	13.73	14.86	15.92	16.89	17.82

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EL 023




ESPLOSO
RICAMBI
EL 026



ESPLOSO
RICAMBI
EL 022





- Bath/shower mixer with diverter complete with:
 - aerator M28x1
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Bath/shower mixer with diverter complete with:
 - aerator M28x1
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

ARTICOLO ARTICLE

EL 023.. / EF 023..

- with ABS joint wall bracket
- with hand-shower and flexible hose
- with ABS joint wall bracket
- with hand-shower and flexible hose

EL 026.. / EF 026..

- with ABS fixed wall bracket
- with hand-shower and flexible hose
- with ABS fixed wall bracket
- with hand-shower and flexible hose

EL 022.. / EF 022..

- without shower set
- without shower set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	6.72	9.77	11.82	13.76	15.35	16.87	18.21	19.58	20.75	21.79
	doccia - hand shower	5.6	7.9	9.71	11.16	12.52	13.73	14.86	15.92	16.89	17.82

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EF 023




ESPLOSO
RICAMBI
EF 026



ESPLOSO
RICAMBI
EF 022



elle-effe



- Concealed bath/shower mixer (2 outlets) complete with:
- stainless steel wall plate 350x120mm
- spout with aerator M28x1 - l. 192mm
- hand shower and flexible hose
- 1/2"G connections

- Concealed bath/shower mixer (2 outlets) complete with:
- stainless steel wall plate 350x120mm
- spout with aerator M28x1 - l. 192mm
- hand shower and flexible hose
- 1/2"G connections

ARTICOLO ARTICLE

EL 001.. / EF 001..

- with push diverter
- with push diverter

ZPRO 056..

- Extension with diverter for art. 001
- H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT


		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	6.66	9.47	11.68	13.53	15.12	16.55	17.96	19.18	20.35	21.46
	doccia - hand shower	5	7.28	8.95	10.32	11.64	12.85	13.96	14.93	15.82	16.86

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EL 001





- Concealed bath/shower mixer (2 outlets) complete with:
- stainless steel wall plate 350x120mm
- spout with aerator M28x1 - l. 192mm
- hand shower and flexible hose
- 1/2"G connections

- Concealed bath/shower mixer (2 outlets) complete with:
- stainless steel wall plate 350x120mm
- spout with aerator M28x1 - l. 192mm
- hand shower and flexible hose
- 1/2"G connections

ARTICOLO ARTICLE

EL 001.. / EF 001..

- with push diverter
- with push diverter

ZPRO 056..

- Extension with diverter for art. 001
- H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	6.66	9.47	11.68	13.53	15.12	16.55	17.96	19.18	20.35	21.46
	doccia - hand shower	5	7.28	8.95	10.32	11.64	12.85	13.96	14.93	15.82	16.86

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EF 001


EF 001

CR- Chrome | Chrome

ZPRO 056

- CR- Chrome





- Deck mounted mixer with diverter complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight
- Deck mounted mixer with diverter complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight

ARTICOLO ARTICLE

EL 040.. / EF 040..

- with waterfall spout (3 holes)
- with waterfall spout (3 holes)

EL 041.. / EF 041..

- without spout (2 holes)
- without spout (2 holes)

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	5.37	7.83	9.82	11.52	12.98	14.33	15.58	16.78	17.85	18.83
	doccia - hand shower	3.63	5.63	7.18	8.64	9.97	11.11	12.17	13.16	14.07	14.95

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EL 040

ESPLOSO
RICAMBI
EL 041





- Deck mounted mixer with diverter complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight
- Deck mounted mixer with diverter complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight

ARTICOLO ARTICLE

EL 040.. / EF 040..

- with waterfall spout (3 holes)
- with waterfall spout (3 holes)

EL 041.. / EF 041..

- without spout (2 holes)
- without spout (2 holes)

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	5.37	7.83	9.82	11.52	12.98	14.33	15.58	16.78	17.85	18.83
	doccia - hand shower	3.63	5.63	7.18	8.64	9.97	11.11	12.17	13.16	14.07	14.95

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EF 040



ESPLOSO
RICAMBI
EF 041


EF 040

CR- Chrome | Chrome

EF 041

CR- Chrome | Chrome





- Free-standing bath/shower mixer complete with:
- spout with aerator M28x1
- Premium (single spray) metal hand-shower
- silver PVC hose - 1/2"x1/2" / L.1500mm
- fast push connections

- Free-standing bath/shower mixer complete with:
- spout with aerator M28x1
- Premium (single spray) metal hand-shower
- silver PVC hose - 1/2"x1/2" / L.1500mm
- fast push connections

ARTICOLO ARTICLE

EL 033.. / EF 033..

- with concealed base for floor mounting included
- with concealed base for floor mounting included

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	4.27	6.05	7.34	8.41	9.59	10.37	11.22	11.99	12.71	13.4
	doccia - hand shower	3.69	5.28	6.42	7.44	8.34	9.09	9.85	10.53	11.15	11.77

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EL 033



elle-effe



- Free-standing bath/shower mixer complete with:
- spout with aerator M28x1
- Premium (single spray) metal hand-shower
- silver PVC hose - 1/2"x1/2" / L.1500mm
- fast push connections

EF 033
CR- Chrome | Chrome

- Free-standing bath/shower mixer complete with:
- spout with aerator M28x1
- Premium (single spray) metal hand-shower
- silver PVC hose - 1/2"x1/2" / L.1500mm
- fast push connections

ARTICOLO ARTICLE

EL 033.. / EF 033..

- with concealed base for floor mounting included
- with concealed base for floor mounting included

RAPPORTO PROVA PORTATA FLOW RATE REPORT


		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	4.27	6.05	7.34	8.41	9.59	10.37	11.22	11.99	12.71	13.4
	doccia - hand shower	3.69	5.28	6.42	7.44	8.34	9.09	9.85	10.53	11.15	11.77

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
EF 033





CR- Chrome | Chrome

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

		Pressione / Pressure (bar)										
		Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)			2.69	3.98	4.84	5.67	6.39	7.06	7.59	8.17	8.66	9.14



ESPLOSO
RICAMBI
EL 071K

