




- FBLV 075

CR- Chrome | Chrome

CO- Chrome + gold finish | Chrome + gold finish

BR- Bronze | Bronze

RM- Copper | Copper

FBLV 071

CR- Chrome | Chrome

CO- Chrome + gold finish | Chrome + gold finish

BR- Bronze | Bronze

RM- Copper | Copper

FBLV 075..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

FBLV 071..

- without pop up waste
- without pop up waste

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7.47	10.32	12.5	14.38	15.99	17.38	18.79	20.11	21.27	22.48




ESPLOSO
RICAMBI
FBLV 075

ESPLOSO
RICAMBI
FBLV 071



belinda-melissa



- 3-hole wash basin mixer with swivelling spout complete with:
- aerator M22x1
- set of 2 stainless steel hoses 1/2"G
- 3-hole wash basin mixer with swivelling spout complete with:
- aerator M22x1
- set of 2 stainless steel hoses 1/2"G

FBLV 055

- CR- Chrome | Chrome
- CO- Chrome + gold finish | Chrome + gold finish
- BR- Bronze | Bronze
- RM- Copper | Copper

FBLV 052

- CR- Chrome | Chrome
- CO- Chrome + gold finish | Chrome + gold finish
- BR- Bronze | Bronze
- RM- Copper | Copper

ARTICOLO ARTICLE

FBLV 055..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

FBLV 052..

- without pop up waste
- without pop up waste

DOCUMENTI TECNICI TECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
FBLV 055



ESPLOSO
RICAMBI
FBLV 052



belinda-melissa



- Three-hole concealed basin mixer complete with:
 - sliding caps - Ø62 mm
 - wall plate for spout - Ø62mm
 - 1/2"G connections
- Three-hole concealed basin mixer complete with:
 - sliding caps - Ø62 mm
 - wall plate for spout - Ø62mm
 - 1/2"G connections

- FBLV 003**
CR- Chrome | Chrome
CO- Chrome + gold finish | Chrome + gold finish
BR- Bronze | Bronze
RM- Copper | Copper
- FBLV 008**
CR- Chrome | Chrome
CO- Chrome + gold finish | Chrome + gold finish
BR- Bronze | Bronze
RM- Copper | Copper
- ZPRO 012**

ARTICOLO ARTICLE

- FBLV 003..**
- with spout and aerator M22x1 - l. 175mm
 - with spout and aerator M22x1 - l. 175mm

- FBLV 008..**
- with spout and aerator M22x1 - l. 245mm
 - with spout and aerator M22x1 - l. 245mm

- ZPRO 012..**
- Extension (1 pcs) for artt. 003-008
 - H19mm


RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		6.67	9.25	11.35	13.02	14.57	15.98	17.28	18.47	19.64	20.78

DOCUMENTI TECNICITECHNICAL DOCUMENTS



belinda-melissa



- Basin tap with tall body complete with:
- 1/2"G connection
- Basin tap with tall body complete with:
- 1/2"G connection

FBLV 095
CR- Chrome | Chrome
CO- Chrome + gold finish | Chrome + gold finish
BR- Bronze | Bronze
RM- Copper | Copper

ARTICOLO ARTICLE

- FBLV 095..**
- Basin tap (cold water only)
 - Basin tap (cold water only)

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.41	12.2	14.98	17.35	19.38	21.24	22.92	24.62	26.08	27.38


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
FBLV 095



belinda-melissa



- 3-hole bidet mixer with swivelling spout complete with:
- aerator M22x1
- set of 2 stainless steel hoses 1/2"G
- 3-hole bidet mixer with swivelling spout complete with:
- aerator M22x1
- set of 2 stainless steel hoses 1/2"G

- FBLV 118**
CR- Chrome | Chrome
CO- Chrome + gold finish | Chrome + gold finish
BR- Bronze | Bronze
RM- Copper | Copper
- FBLV 119**
CR- Chrome | Chrome
CO- Chrome + gold finish | Chrome + gold finish
BR- Bronze | Bronze
RM- Copper | Copper

ARTICOLO ARTICLE

- FBLV 118..**
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- FBLV 119..**
- without pop up waste
 - without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		6.08	8.81	10.9	12.62	14.19	15.62	16.92	18.2	19.42	20.56

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
FBLV 118



ESPLOSO
RICAMBI
FBLV 119



belinda-melissa



- 3-hole bidet mixer complete with:
- $1/2''G$ connections
- 3-hole bidet mixer complete with:
- $1/2''G$ connections

ARTICOLO ARTICLE

FBLV 116..


- with $1''1/4G$ pop up waste
- with $1''1/4G$ pop up waste

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
FBLV 116





- FBLV 135**
CR- Chrome | Chrome
CO- Chrome + gold finish | Chrome + gold finish
BR- Bronze | Bronze
RM- Copper | Copper
- FBLV 131**
CR- Chrome | Chrome
CO- Chrome + gold finish | Chrome + gold finish
BR- Bronze | Bronze
RM- Copper | Copper

FBLV 135..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

FBLV 131..

- without pop up waste
- without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		6.14	8.81	11.02	12.77	14.32	15.79	17.12	18.34	19.51	20.65

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
FBLV 135

ESPLOSO
RICAMBI
FBLV 131



belinda-melissa



- Wall mounted shower mixer complete with:
- 1/2"G lower connection
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Wall mounted shower mixer complete with:
- 1/2"G lower connection
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

- FBLV 168D**
CR- Chrome | Chrome
CO- Chrome + gold finish | Chrome + gold finish
BR- Bronze | Bronze
RM- Copper | Copper
- FBLV 168**
CR- Chrome | Chrome
CO- Chrome + gold finish | Chrome + gold finish
BR- Bronze | Bronze
RM- Copper | Copper

ARTICOLO ARTICLE

- FBLV 168D..**
- with LUX metal swivelling bracket
 - with metal hand shower
 - with 1500mm double interlock flexible hose
 - with LUX metal swivelling bracket
 - with metal hand shower
 - with 1500mm double interlock flexible hose

- FBLV 168..**
- without shower set
 - without shower set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		22	31.08	37.37	43.2	48.46	53.02	57.34	60.68	63.76	67.4

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
FBLV 168D

ESPLOSO
RICAMBI
FBLV 168



belinda-melissa



- Wall mounted shower mixer complete with:
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Wall mounted shower mixer complete with:
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

FBLV 168R
CR- Chrome | Chrome
CO- Chrome + gold finish | Chrome + gold finish
BR- Bronze | Bronze
RM- Copper | Copper

ARTICOLO ARTICLE

- FBLV 168R..**
- overturned without shower set
 - with 3/4"G upper connection
 - overturned without shower set
 - with 3/4"G upper connection

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		22	31.08	37.37	43.2	48.46	53.02	57.34	60.68	63.76	67.4


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
FBLV 168R



belinda-melissa



- Traditional bath/shower mixer with diverter complete with:
 - fork
 - shower head
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Traditional bath/shower mixer with diverter complete with:
 - fork
 - shower head
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

- FBLV 023**
CR- Chrome | Chrome
CO- Chrome + gold finish | Chrome + gold finish
BR- Bronze | Bronze
RM- Copper | Copper
- FBLV 022**
CR- Chrome | Chrome
CO- Chrome + gold finish | Chrome + gold finish
BR- Bronze | Bronze
RM- Copper | Copper

ARTICOLO ARTICLE

- FBLV 023..**
- with 1500mm double interlock flexible hose
 - with LUX metal swivelling bracket
 - with 1500mm double interlock flexible hose
 - with LUX metal swivelling bracket

- FBLV 022..**
- with 1000 mm flexible hose
 - with 1000 mm flexible hose

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	18.24	25.9	31.5	36.4	40.35	43.66	46.54	49.54	51.89	54.63
	doccia - hand shower	5.03	7.29	9.02	10.5	12.47	14.15	16.33	17.94	20.07	21.4

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
FBLV 023

ESPLOSO
RICAMBI
FBLV 022



belinda-melissa



- Deck mounted bath mixer with diverter complete with:
- pull-out hand-shower
- set of 4 stainless steel hoses for mixer
- flexible hose with ecological weight for hand-shower
- Deck mounted bath mixer with diverter complete with:
- pull-out hand-shower
- set of 4 stainless steel hoses for mixer
- flexible hose with ecological weight for hand-shower

- FBLV 040**
CR- Chrome | Chrome
CO- Chrome + gold finish | Chrome + gold finish
BR- Bronze | Bronze
RM- Copper | Copper
- FBLV 041**
CR- Chrome | Chrome
CO- Chrome + gold finish | Chrome + gold finish
BR- Bronze | Bronze
RM- Copper | Copper

ARTICOLO ARTICLE

- FBLV 040..**
- with spout and aerator M24x1 (5 holes)
 - with spout and aerator M24x1 (5 holes)

- FBLV 041..**
- without spout (4 holes)
 - without spout (4 holes)


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Portata / Flow rate (l / min)	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
	bocca - spout	4.57	6.81	8.61	9.91	11.22	12.36	13.45	14.42	15.32	16.17
	doccia - hand shower	4.5	7.02	9.23	10.88	12.35	13.66	14.9	16.07	17.13	18.08

DOCUMENTI TECNICITECHNICAL DOCUMENTS



belinda-melissa



- Built-in tap complete with:
- sliding cap - Ø62 mm
- 1/2"G connections
- Built-in tap complete with:
- sliding cap - Ø62 mm
- 1/2"G connections

ARTICOLO ARTICLE

FBLV 010..

- with 1 inlet - 1 outlet
- with 1 inlet - 1 outlet

ZPRO 012..

- Extension for art. 010
- H19mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.7	12.27	15.05	17.35	19.31	21.11	23.06	24.52	25.91	27.49

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
FBLV 010

