


birillo



- Wash basin mixer complete with:
- aerator M18x1
- set of 2 stainless steel hoses 3/8"G

- Wash basin mixer complete with:
- aerator M18x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

BI 071..93

- with 1"1/4G pop up waste
- with extension with hole for rod 100 mm
- with vertical rod
- with horizontal rod 390 mm
- with 1"1/4G pop up waste
- with extension with hole for rod 100 mm
- with vertical rod
- with horizontal rod 390 mm

BI 071 . . 93

CR- Chrome | Chrome


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
BI 071 . . 93



birillo



- Wash basin mixer with long spout complete with:
- aerator M18x1
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer with long spout complete with:
- aerator M18x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

- BI 085..**
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- BI 081..**
- without pop up waste
 - without pop up waste

- BI 085**
CR- Chrome | Chrome
- BI 081**
CR- Chrome | Chrome

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.5	6.44	7.89	9.15	10.25	11.26	12.2	13.05	13.85	14.6

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
BI 085

ESPLOSO
RICAMBI
BI 081



birillo



- Wash basin mixer with long spout complete with:
- aerator M18x1
- set of 2 stainless steel hoses 3/8"G

- Wash basin mixer with long spout complete with:
- aerator M18x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

BI 081..93

- with extension with hole for rod 100 mm
- with vertical rod
- with horizontal rod 390mm
- with 1"1/4G pop up waste
- with extension with hole for rod 100 mm
- with vertical rod
- with horizontal rod 390mm
- with 1"1/4G pop up waste

BI 081 . . 93

CR- Chrome | Chrome


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
BI 081 . . 93



birillo



- Wash basin mixer with swivelling spout complete with:
 - aerator M22x1
 - set of 2 stainless steel hoses 3/8"G
- Wash basin mixer with swivelling spout complete with:
 - aerator M22x1
 - set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

- BI 077..**
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- BI 078..**
- without pop up waste
 - without pop up waste

- BI 077**
CR- Chrome | Chrome
- BI 078**
CR- Chrome | Chrome

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		5.97	8.51	10.5	12.1	13.57	14.87	16.14	17.3	18.36	19.38

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
BI 077

ESPLOSO
RICAMBI
BI 078



birillo



- Concealed single lever basin mixer complete with:
- metal wall plates Ø70mm
- 1/2"G connections
- Concealed single lever basin mixer complete with:
- metal wall plates Ø70mm
- 1/2"G connections

- BI 104..70**
CR- Chrome | Chrome
- BI 105..70**
CR- Chrome | Chrome
- BI 106..70**
CR- Chrome | Chrome
- ZPRO 088**
• CR- Chrome

ARTICOLO ARTICLE

BI 104..70

- with spout and aerator M16x1 - l. 123mm
- with spout and aerator M16x1 - l. 123mm

BI 105..70

- with spout and aerator M16x1 - l. 178mm
- with spout and aerator M16x1 - l. 178mm

BI 106..70

- with spout and aerator M16x1 - l. 248mm
- with spout and aerator M16x1 - l. 248mm

ZPRO 088..

- Extension for artt. 104..70-105..70-106..70
- H20mm

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
BI 104..70




ESPLOSO
RICAMBI
BI 105..70



ESPLOSO
RICAMBI
BI 106..70



birillo



- Bidet mixer complete with:
- swivel joint and aerator M18x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer complete with:
- swivel joint and aerator M18x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

- BI 135..**
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- BI 131..**
- without pop up waste
 - without pop up waste

- BI 131K..**
- with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.59	6.53	8.17	9.43	10.62	11.65	12.61	13.45	14.34	15.18

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
BI 135

ESPLOSO
RICAMBI
BI 131

ESPLOSO
RICAMBI
BI 131K



birillo



- Wash basin mixer complete with:
- aerator M18x1
- set of 2 stainless steel hoses 3/8" G
- Wash basin mixer complete with:
- aerator M18x1
- set of 2 stainless steel hoses 3/8" G

ARTICOLO ARTICLE

BI 075..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

BI 071..

- without pop up waste
- without pop up waste

BI 071K..

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.53	6.56	8.01	9.29	10.42	11.47	12.39	13.29	14.07	14.86

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
BI 075

ESPLOSO
RICAMBI
BI 071

ESPLOSO
RICAMBI
BI 071K



micro



- Wash basin mixer complete with:
- aerator M18x1
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer complete with:
- aerator M18x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

MI 071..

- without pop up waste
- without pop up waste


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.94	7	8.58	9.91	11.1	12.25	13.22	14.14	15.01	15.78

DOCUMENTI TECNICITECHNICAL DOCUMENTS



micro



- Basin tap complete with:
- aerator M18x1
- ceramic disc valve
- 1/2"G connection

- Basin tap complete with:
- aerator M18x1
- ceramic disc valve
- 1/2"G connection

ARTICOLO ARTICLE

MI 090..

- cold water only
- cold water only

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.64	6.67	8.23	9.56	10.73	11.76	12.67	13.54	14.38	15.19


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
MI 090



birillo



- Bidet mixer with swivelling spout complete with:
- swivel joint and aerator M22x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer with swivelling spout complete with:
- swivel joint and aerator M22x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

- BI 137..**
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- BI 138..**
- without pop up waste
 - without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		5.82	8.35	10.21	11.82	13.25	14.63	15.9	17.03	17.99	18.98

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
BI 137



ESPLOSO
RICAMBI
BI 138



birillo



- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

- BI 168DL**
CR- Chrome | Chrome
- BI 168L**
CR- Chrome | Chrome
- BI 168RL**
CR- Chrome | Chrome

ARTICOLO ARTICLE

- BI 168DL..**
 - with metal joint wall bracket
 - with hand-shower and flexible hose
 - with metal joint wall bracket
 - with hand-shower and flexible hose

- BI 168L..**
 - without shower set
 - with 1/2"G lower connection
 - without shower set
 - with 1/2"G lower connection

- BI 168RL..**
 - overturned without shower set
 - with 3/4"G upper connection
 - overturned without shower set
 - with 3/4"G upper connection


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7.04	10.06	12.3	14.34	16.07	17.62	19.01	20.44	21.71	22.83

DOCUMENTI TECNICITECHNICAL DOCUMENTS



birillo



- Concealed shower mixer (1 outlet) complete with:
 - wall plate
 - 1/2"G connections
- Concealed shower mixer (1 outlet) complete with:
 - wall plate
 - 1/2"G connections

ARTICOLO ARTICLE

- BI 010..**
- without diverter
 - with metal wall plate Ø116mm
- without diverter
- with metal wall plate Ø116mm

- BI 011..**
- without diverter
 - with luxury wall plate Ø110mm
- without diverter
- with luxury wall plate Ø110mm

- ZPRO 013..**
- Extension for art. 010
 - H43mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
BI 010

ESPLOSO
RICAMBI
BI 011



birillo



- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2"G hot/cold and upper connections - 3/4"G lower connection
- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2"G hot/cold and upper connections - 3/4"G lower connection

ARTICOLO ARTICLE

BI 015..

- with push diverter
- with push diverter

ZPRO 014..

- Extension with diverter for art. 015
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	9.37	13.13	16.03	18.55	20.7	22.72	24.15	26.17	27.46	29.12
	uscita sotto - under outlet	7.69	10.65	12.96	14.94	16.65	18.25	19.63	21.03	22.28	23.48


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
BI 015



birillo



- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2"G connections

- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2"G connections

ARTICOLO ARTICLE

BI 018..

- with diverter cartridge (2 outlets + 1 combined position)
- with diverter cartridge (2 outlets + 1 combined position)

ZPRO 069..

- Extension with diverter for artt. 018-019
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita destra - right outlet	5.65	8.07	9.89	11.39	12.81	14.02	15.12	16.18	17.14	18.12
	uscita sinistra - left outlet	5.62	7.96	9.8	11.34	12.64	13.98	15.09	16.22	17.22	18.24
	uscita combinata - combined outlet	5.25	7.36	9.11	10.55	11.9	13.24	14.57	16.2	16.95	18.03


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
BI 018



birillo



- Concealed shower mixer (3 outlets) complete with:
- metal wall plate Ø200mm
- 1/2" G connections

- Concealed shower mixer (3 outlets) complete with:
- metal wall plate Ø200mm
- 1/2" G connections

ARTICOLO ARTICLE

BI 019..

- with diverter cartridge (3 outlets + 3 combined positions)
- with diverter cartridge (3 outlets + 3 combined positions)

ZPRO 069..

- Extension with diverter for artt. 018-019
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	5.65	8.07	9.89	11.39	12.81	14.02	15.12	16.18	17.14	18.12
	uscita destra - right outlet	5.62	7.96	9.8	11.34	12.64	13.98	15.09	16.22	17.22	18.24
	uscita sinistra - left outlet	5.6	8	9.7	11.2	12.5	13.9	15	16	17.1	18.03


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
BI 019



birillo



- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

ARTICOLO ARTICLE

BI 023L..

- with metal joint wall bracket
- with hand-shower and flexible hose
- with metal joint wall bracket
- with hand-shower and flexible hose

BI 026L..

- with ABS fixed wall bracket
- with hand-shower and flexible hose
- with ABS fixed wall bracket
- with hand-shower and flexible hose

BI 022L..


- without shower set
- without shower set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	4.63	6.59	8.08	9.35	10.47	11.42	12.38	13.24	14.05	14.81
	doccia - hand shower	4.46	6.31	7.77	8.98	10.09	11.05	12.01	12.87	13.66	14.47

DOCUMENTI TECNICITECHNICAL DOCUMENTS





- BI 040L**
CR- Chrome | Chrome
- BI 041L**
CR- Chrome | Chrome

BI 040L..

- with spout and aerator M28x1 (3 holes)
- with spout and aerator M28x1 (3 holes)

BI 041L..

- without spout (2 holes)
- without spout (2 holes)




ESPLOSO
RICAMBI
BI 040L

ESPLOSO
RICAMBI
BI 041L



birillo



- Deck mounted mixer with "increased flow rate" complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight
- Deck mounted mixer with "increased flow rate" complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight

ARTICOLO ARTICLE

BI 047..

- with spout and aerator M28x1 (3 holes)
- with spout and aerator M28x1 (3 holes)

BI 048..

- without spout (2 holes)
- without spout (2 holes)

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	10.28	13.89	16.93	19.61	21.91	24.05	25.98	27.74	29.45	31.04
	doccia - hand shower	4.96	7.45	9.25	10.72	12.13	13.39	14.45	15.49	16.49	17.41

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
BI 047



ESPLOSO
RICAMBI
BI 048



birillo



• Extension without hole for rod for artt. 071-071K-081-081K-131-131K complete with:

- fixing set L.190 mm
- set of 2 stainless steel hoses 3/8"G x L.500 mm

• Extension without hole for rod for artt. 071-071K-081-081K-131-131K complete with:

- fixing set L.190 mm
- set of 2 stainless steel hoses 3/8"G x L.500 mm

ARTICOLO ARTICLE

ZPRO 200..

- H100mm
- H100mm

ZPRO 300..

- H50mm
- H50mm

ZPRO 400..

- H150mm
- H150mm

ZPRO 200

CR- Chrome | Chrome

ZPRO 300

CR- Chrome | Chrome

ZPRO 400

CR- Chrome | Chrome

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
ZPRO 200

ESPLOSO
RICAMBI
ZPRO 300

ESPLOSO
RICAMBI
ZPRO 400



birillo



- Extension with hole for rod for artt. 071-081-131 complete with:
- vertical rod + horizontal rod L.390mm
- 1"1/4G pop up waste
- fixing set L.190 mm
- set of 2 stainless steel hoses 3/8"G x L.500 mm
- Extension with hole for rod for artt. 071-081-131 complete with:
- vertical rod + horizontal rod L.390mm
- 1"1/4G pop up waste
- fixing set L.190 mm
- set of 2 stainless steel hoses 3/8"G x L.500 mm

ZPRO 200 . . 7

CR- Chrome | Chrome

ZPRO 400 . . 7

CR- Chrome | Chrome

ARTICOLO ARTICLE

ZPRO 200 . . 7

- H100mm
- H100mm

ZPRO 400 . . 7

- H150mm
- H150mm

DOCUMENTI TECNICITECHNICAL DOCUMENTS





ESPLOSO
RICAMBI
ZPRO 200 . . 7



ESPLOSO
RICAMBI
ZPRO 400 . . 7





- Universal concealed Box for mixers complete with:
- concealed body
- box

PBOX 001

- Universal concealed Box for mixers complete with:
- concealed body
- box

ARTICOLO ARTICLE

PBOX 001

- without external set
- without external set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	A	8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28
	B	9.2	13	15.6	18	20	22	23.7	25.4	26.8	28.5
	C	9.6	13.4	16	18.5	20.5	22.5	24.2	25.9	27.3	29
	A+B	10	13.8	16.5	19	21	23	24.6	26.4	27.8	29.5
	C+B	10.5	14.3	17	19.5	21.5	23.5	24.9	26.9	28.3	30
	C+A	11	14.8	17.5	20	22	24	25.4	27.4	28.8	30.5



DOCUMENTI TECNICI TECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
PBOX 001



birillo



- External set for concealed shower mixer (1 outlet) complete with:
- mixer body
- ABS wall plate Ø173 mm and lever

- External set for concealed shower mixer (1 outlet) complete with:
- mixer body
- ABS wall plate Ø173 mm and lever

ARTICOLO ARTICLE

BI BOX010..

- without diverter
- without diverter

ZPRO BOX010..

- Extension for art. BOX010
- H30mm

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
BI BOX010

BI BOX010



CR- Chrome | Chrome

ZPRO BOX010

- CR- Chrome



birillo



- External set for concealed shower mixer (2 outlets) complete with:
- mixer body
- ABS wall plate Ø173 mm and lever

- External set for concealed shower mixer (2 outlets) complete with:
- mixer body
- ABS wall plate Ø173 mm and lever

ARTICOLO ARTICLE

BI BOX015..

- with push diverter
- with push diverter

ZPRO BOX015..

- Extension with diverter for art. BOX015
- H30mm

BI BOX015

CR- Chrome | Chrome

ZPRO BOX015

- CR- Chrome

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
BI BOX015

