


green



- Wash basin mixer complete with:
- Energy Saving cartridge
- aerator M24x1 with flow reducer
- set of 2 stainless steel hoses 3/8"G

- Wash basin mixer complete with:
- Energy Saving cartridge
- aerator M24x1 with flow reducer
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

GR 075.. -ES

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

GR 071.. -ES

- without pop up waste
- without pop up waste

GR 075.. -ES

CR- Chrome | Chrome

GR 071.. -ES

CR- Chrome | Chrome

TECNOLOGIE TECHNOLOGIES



ENERGY SAVING

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
GR 075.. -ES



ESPLOSO
RICAMBI
GR 071.. -ES



green



- Tall wash basin mixer complete with:
- aerator M24x1 Slim air
- set of 2 stainless steel hoses 3/8" G
- Tall wash basin mixer complete with:
- aerator M24x1 Slim air
- set of 2 stainless steel hoses 3/8" G

ARTICOLO ARTICLE

- GR 085..
- with 1"1/4 G pop up waste
 - with 1"1/4 G pop up waste

- GR 081..
- without pop up waste
 - without pop up waste

- GR 081K..
- with 1"1/4 G Clic-Clac press top waste
 - with 1"1/4 G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.42	6.46	8.01	9.31	10.48	11.5	12.48	13.4	14.21	15.05

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
GR 085




ESPLOSO
RICAMBI
GR 081



ESPLOSO
RICAMBI
GR 081K



green



- Concealed single lever basin mixer complete with:
- metal wall plates Ø70mm
- 1/2" G connections

- Concealed single lever basin mixer complete with:
- metal wall plates Ø70mm
- 1/2" G connections

ARTICOLO ARTICLE

GR 105..70

- with spout and aerator M16x1 - l. 178mm
- with spout and aerator M16x1 - l. 178mm

GR 106..70

- with spout and aerator M16x1 - l. 248mm
- with spout and aerator M16x1 - l. 248mm

ZPRO 057..

- Extension for art. 010
- H20mm

GR 105..70

CR- Chrome | Chrome

GR 106..70

CR- Chrome | Chrome

ZPRO 057

- CR- Chrome

DOCUMENTI TECNICI TECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
GR 105..70



ESPLOSO
RICAMBI
GR 106..70



green



- Wash basin mixer with clinical lever complete with:
- aerator M24x1 Slim air
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer with clinical lever complete with:
- aerator M24x1 Slim air
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

- GR 305..
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- GR 301..
- without pop up waste
 - without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.96	7.17	8.84	10.28	11.53	12.69	13.71	14.68	15.62	16.48

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
GR 305



ESPLOSO
RICAMBI
GR 301



green



- Bidet mixer complete with:
- with swivel joint and aerator M16x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer complete with:
- with swivel joint and aerator M16x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

- GR 135..
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- GR 131..
- without pop up waste
 - without pop up waste

- GR 131K..
- with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		5.1	7.16	8.9	10.33	11.57	12.7	13.71	14.73	15.6	16.49

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
GR 135




ESPLOSO
RICAMBI
GR 131



ESPLOSO
RICAMBI
GR 131K



green



- Shower mixer complete with:
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Shower mixer complete with:
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

ARTICOLO ARTICLE

GR 168D..

- with swivelling wall bracket with ABS hook
- with hand-shower and flexible hose
- with swivelling wall bracket with ABS hook
- with hand-shower and flexible hose

GR 168..

- without shower set
- with 1/2"G lower connection
- without shower set
- with 1/2"G lower connection

GR 168D

CR- Chrome | Chrome

GR 168

CR- Chrome | Chrome

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7.48	10.31	12.52	14.49	16.11	17.58	18.93	20.2	21.34	22.47

DOCUMENTI TECNICITECHNICAL DOCUMENTS





ESPLOSO
RICAMBI
GR 168D



ESPLOSO
RICAMBI
GR 168



green



- Concealed shower mixer (1 outlet) complete with:
- metal wall plate Ø116mm
- 1/2"G connections
- Concealed shower mixer (1 outlet) complete with:
- metal wall plate Ø116mm
- 1/2"G connections

ARTICOLO ARTICLE

GR 010..

- without diverter
- without diverter

ZPRO 013..

- Extension for art. 010
- H43mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
GR 010

GR 010


CR- Chrome | Chrome

ZPRO 013

- CR- Chrome



green



- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2"G hot/cold and upper connections - 3/4"G lower connection
- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2"G hot/cold and upper connections - 3/4"G lower connection

ARTICOLO ARTICLE

GR 015..

- with push diverter
- with push diverter

ZPRO 028..

- Extension with diverter for art. 015
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	7.91	11.28	13.76	15.84	17.95	19.65	21.2	22.69	24.09	25.46
	uscita sotto - under outlet	6.58	9.86	12.08	14.01	15.62	17.17	18.51	19.77	20.99	22.16



DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
GR 015



green



- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2" G connections
- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2" G connections

ARTICOLO ARTICLE

GR 018..

- with diverter cartridge (2 outlets + 1 combined position)
- with diverter cartridge (2 outlets + 1 combined position)

ZPRO 068..

- Extension with diverter for artt. 018-019
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita destra - right outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita sinistra - left outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita combinata - combined outlet	6.24	8.89	10.82	12.46	14	15.3	16.48	17.69	18.72	19.75



DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
GR 018



green



- Concealed shower mixer (3 outlets) complete with:
- metal wall plate Ø200mm
- 1/2" G connections

- Concealed shower mixer (3 outlets) complete with:
- metal wall plate Ø200mm
- 1/2" G connections

ARTICOLO ARTICLE

GR 019..

- with diverter cartridge (3 outlets + 3 combined positions)
- with diverter cartridge (3 outlets + 3 combined positions)

ZPRO 068..

- Extension with diverter for artt. 018-019
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita destra - right outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita sinistra - left outlet	5.6	7.76	9.49	11.07	12.3	13.49	14.52	15.54	16.43	17.37


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
GR 019



green



- Bath/shower mixer with diverter complete with:
 - aerator M28x1
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Bath/shower mixer with diverter complete with:
 - aerator M28x1
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

ARTICOLO ARTICLE

GR 023..

- with swivelling wall bracket with ABS hook
- with hand-shower and flexible hose
- with swivelling wall bracket with ABS hook
- with hand-shower and flexible hose

GR 026..

- with ABS fixed wall bracket
- with hand-shower and flexible hose
- with ABS fixed wall bracket
- with hand-shower and flexible hose

GR 022..

- without shower set
- without shower set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	7.42	10.58	13.02	15.09	16.83	18.42	19.95	21.38	22.75	24
	doccia - hand shower	10.73	15.2	18.61	21.51	24.03	26.27	28.7	30.56	32.48	34.19

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
GR 023




ESPLOSO
RICAMBI
GR 026



ESPLOSO
RICAMBI
GR 022





- PBOX 001

- ARTICOLO ARTICLE

- without external set
- without external set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	A	8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28
	B	9.2	13	15.6	18	20	22	23.7	25.4	26.8	28.5
	C	9.6	13.4	16	18.5	20.5	22.5	24.2	25.9	27.3	29
	A+B	10	13.8	16.5	19	21	23	24.6	26.4	27.8	29.5
	C+B	10.5	14.3	17	19.5	21.5	23.5	24.9	26.9	28.3	30
	C+A	11	14.8	17.5	20	22	24	25.4	27.4	28.8	30.5


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
PBOX 001



green



-
- External set for concealed shower mixer (1 outlet) complete with:
 - mixer body
 - ABS wall plate Ø173 mm and lever

- External set for concealed shower mixer (1 outlet) complete with:
- mixer body
- ABS wall plate Ø173 mm and lever

ARTICOLO ARTICLE

GR BOX010..

- without diverter
- without diverter

ZPRO BOX010..

- Extension for art. BOX010
- H30mm

GR BOX010

CR- Chrome | Chrome

ZPRO BOX010

- CR- Chrome


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
GR BOX010



green



- External set for concealed shower mixer (2 outlets) complete with:
- mixer body
- ABS wall plate Ø173 mm and lever

- External set for concealed shower mixer (2 outlets) complete with:
- mixer body
- ABS wall plate Ø173 mm and lever

ARTICOLO ARTICLE

GR BOX015..

- with push diverter
- with push diverter

ZPRO BOX015..

- Extension with diverter for art. BOX015
- H30mm

GR BOX015

CR- Chrome | Chrome

ZPRO BOX015

- CR- Chrome


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
GR BOX015



green



- Wash basin mixer complete with:
- aerator M24x1 Slim air
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer complete with:
- aerator M24x1 Slim air
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

- GR 075..
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- GR 071..
- without pop up waste
 - without pop up waste

- GR 071K..
- with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.96	7.17	8.84	10.28	11.53	12.69	13.71	14.68	15.62	16.48

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
GR 075



ESPLOSO
RICAMBI
GR 071



ESPLOSO
RICAMBI
GR 071K

