


joker



- Tall wash basin mixer complete with:
 - aerator M16,5x1
 - set of 2 stainless steel hoses 3/8"G
- Tall wash basin mixer complete with:
 - aerator M16,5x1
 - set of 2 stainless steel hoses 3/8"G

- JK 085**
CR- Chrome | Chrome
NO- Matt black | Matt black
- JK 081**
CR- Chrome | Chrome
NO- Matt black | Matt black
- JK 081K**
CR- Chrome | Chrome
NO- Matt black | Matt black

ARTICOLO ARTICLE

- JK 085..**
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- JK 081..**
- without pop up waste
 - without pop up waste

- JK 081K..**
- with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		3.03	4.38	5.42	6.3	6.98	7.68	8.33	8.95	9.45	9.93

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
JK 085




ESPLOSO
RICAMBI
JK 081



ESPLOSO
RICAMBI
JK 081K



joker



- Concealed single lever basin mixer complete with:
- wall plates Ø70mm
- 1/2"G connections
- Concealed single lever basin mixer complete with:
- wall plates Ø70mm
- 1/2"G connections

JK 006..70

- CR- Chrome | Chrome
- NO- Matt black | Matt black

JK 007..70

- CR- Chrome | Chrome
- NO- Matt black | Matt black

ZPRO 013

- CR- Chrome
- NO- Matt black

ARTICOLO ARTICLE

JK 006..70

- with spout and aerator M16x1 - l. 178mm
- with spout and aerator M16x1 - l. 178mm

JK 007 . . 70

- with spout and aerator M16x1 - l. 248mm
- with spout and aerator M16x1 - l. 248mm

ZPRO 013..

- Extension for artt. 006..70-007..70-010
- H43mm

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
JK 006..70



ESPLOSO
RICAMBI
JK 007..70



joker



- Concealed single lever basin mixer complete with:
- metal wall plates Ø70mm
- 1/2" G connections
- Concealed single lever basin mixer complete with:
- metal wall plates Ø70mm
- 1/2" G connections

JK 104..70

- CR- Chrome | Chrome
- NO- Matt black | Matt black

JK 105..70

- CR- Chrome | Chrome
- NO- Matt black | Matt black

JK 106..70

- CR- Chrome | Chrome
- NO- Matt black | Matt black

ZPRO 088

- CR- Chrome
- NO- Matt black

ARTICOLO ARTICLE

JK 104..70

- with spout and aerator M16x1 - l. 123mm
- with spout and aerator M16x1 - l. 123mm

JK 105..70

- with spout and aerator M16x1 - l. 178mm
- with spout and aerator M16x1 - l. 178mm

JK 106..70

- with spout and aerator M16x1 - l. 248mm
- with spout and aerator M16x1 - l. 248mm

ZPRO 088..

- Extension for artt. 104..70-105..70-106..70
- H20mm

DOCUMENTI TECNICI TECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
JK 104..70




ESPLOSO
RICAMBI
JK 105..70



ESPLOSO
RICAMBI
JK 106..70



joker



- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x100mm
- 1/2"G connections
- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x100mm
- 1/2"G connections

- JK 104**
CR- Chrome | Chrome
NO- Matt black | Matt black
- JK 105**
CR- Chrome | Chrome
NO- Matt black | Matt black
- JK 106**
CR- Chrome | Chrome
NO- Matt black | Matt black
- ZPRO 088**
 - CR- Chrome
 - NO- Matt black

ARTICOLO ARTICLE

- JK 104..**
 - with spout and aerator M16x1 - l. 123mm
 - with spout and aerator M16x1 - l. 123mm
- JK 105..**
 - with spout and aerator M16x1 - l. 178mm
 - with spout and aerator M16x1 - l. 178mm
- JK 106..**
 - with spout and aerator M16x1 - l. 248mm
 - with spout and aerator M16x1 - l. 248mm

- ZPRO 088..**
 - Extension for artt. 104-105-106
 - H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.08	5.75	7.11	8.2	9.21	10.08	10.87	11.6	12.35	13.05



DOCUMENTI TECNICI TECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
JK 104




ESPLOSO
RICAMBI
JK 105



ESPLOSO
RICAMBI
JK 106



joker



- Free-standing basin mixer complete with:
- spout with aerator M24x1
- set of 2 stainless steel hoses - M15x1/ L.1080mm
- Free-standing basin mixer complete with:
- spout with aerator M24x1
- set of 2 stainless steel hoses - M15x1/ L.1080mm

ARTICOLO ARTICLE

JK 031..

- * Without base for floor mounting art. LIG 030
- * Without base for floor mounting art. LIG 030

LIG 030..

- Base for floor mounting:
- for artt. 031-032

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7.64	11.29	13.99	16.24	18.35	20.19	21.95	23.45	24.89	26.36

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
JK 031

JK 031

CR- Chrome | Chrome
NO- Matt black | Matt black
LIG 030



joker



- Bidet mixer complete with:
- with swivel joint and aerator M16x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer complete with:
- with swivel joint and aerator M16x1
- set of 2 stainless steel hoses 3/8"G

- JK 135**
CR- Chrome | Chrome
NO- Matt black | Matt black
- JK 131**
CR- Chrome | Chrome
NO- Matt black | Matt black
- JK 131K**
CR- Chrome | Chrome
NO- Matt black | Matt black

ARTICOLO ARTICLE

- JK 135..**
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- JK 131..**
- without pop up waste
 - without pop up waste

- JK 131K..**
- with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		3.52	5.04	6.28	7.25	8.15	8.87	9.64	10.31	10.99	11.62

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
JK 135




ESPLOSO
RICAMBI
JK 131



ESPLOSO
RICAMBI
JK 131K



joker



- Shower mixer complete with:
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Shower mixer complete with:
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

JK 168D
CR- Chrome | Chrome
NO- Matt black | Matt black

JK 168
CR- Chrome | Chrome
NO- Matt black | Matt black

ARTICOLO ARTICLE

- JK 168D..**
- with metal joint wall bracket
 - with hand-shower and flexible hose
 - with metal joint wall bracket
 - with hand-shower and flexible hose

- JK 168..**
- without shower set
 - with 1/2"G lower connection
 - without shower set
 - with 1/2"G lower connection

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7.04	10.06	12.3	14.34	16.07	17.62	19.01	20.44	21.71	22.83

DOCUMENTI TECNICITECHNICAL DOCUMENTS





ESPLOSO
RICAMBI
JK 168D



ESPLOSO
RICAMBI
JK 168



joker



- Shower mixer complete with:
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Shower mixer complete with:
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

ARTICOLO ARTICLE

JK 168R..

- overturned without shower set
- with 3/4"G upper connection
- overturned without shower set
- with 3/4"G upper connection

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7.04	10.06	12.3	14.34	16.07	17.62	19.01	20.44	21.71	22.83


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
JK 168R



joker



- Concealed shower mixer (1 outlet) complete with:
 - wall plate
 - 1/2"G connections
- Concealed shower mixer (1 outlet) complete with:
 - wall plate
 - 1/2"G connections

- JK 010**
CR- Chrome | Chrome
- JK 011**
CR- Chrome | Chrome
NO- Matt black | Matt black
- ZPRO 013**
 - CR- Chrome
 - NO- Matt black

ARTICOLO ARTICLE

- JK 010..**
- without diverter
 - with metal wall plate Ø116mm
 - without diverter
 - with metal wall plate Ø116mm

- JK 011..**
- without diverter
 - with luxury wall plate Ø110mm
 - without diverter
 - with luxury wall plate Ø110mm

- ZPRO 013..**
- Extension for artt. 010-011
 - H43mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
JK 010



ESPLOSO
RICAMBI
JK 011



joker



- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2"G hot/cold and upper connections - 3/4"G lower connection
- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2"G hot/cold and upper connections - 3/4"G lower connection

ARTICOLO ARTICLE

JK 015..

- with push diverter
- with push diverter

ZPRO 028..

- Extension with diverter for art. 015
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	7.91	11.28	13.76	15.84	17.95	19.65	21.2	22.69	24.09	25.46
	uscita sotto - under outlet	6.58	9.86	12.08	14.01	15.62	17.17	18.51	19.77	20.99	22.16


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
JK 015



joker



- Concealed shower mixer (2 outlets) complete with:
 - metal wall plate Ø200mm
 - 1/2" G connections
- Concealed shower mixer (2 outlets) complete with:
 - metal wall plate Ø200mm
 - 1/2" G connections

ARTICOLO ARTICLE

- JK 018..**
- with diverter cartridge (2 outlets + 1 combined position)
 - with diverter cartridge (2 outlets + 1 combined position)

- ZPRO 068..**
- Extension with diverter for artt. 018-019
 - H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita destra - right outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita sinistra - left outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita combinata - combined outlet	6.24	8.89	10.82	12.46	14	15.3	16.48	17.69	18.72	19.75


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
JK 018



joker



- Concealed shower mixer (3 outlets) complete with:
- metal wall plate Ø200mm
- 1/2"G connections
- Concealed shower mixer (3 outlets) complete with:
- metal wall plate Ø200mm
- 1/2"G connections

ARTICOLO ARTICLE

JK 019..

- with diverter cartridge (3 outlets + 3 combined positions)
- with diverter cartridge (3 outlets + 3 combined positions)

ZPRO 068..

- Extension with diverter for artt. 018-019
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita destra - right outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita sinistra - left outlet	5.6	7.76	9.49	11.07	12.3	13.49	14.52	15.54	16.43	17.37


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
JK 019



joker



- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

JK 023
CR- Chrome | Chrome
NO- Matt black | Matt black

JK 026
CR- Chrome | Chrome

JK 022
CR- Chrome | Chrome
NO- Matt black | Matt black

ARTICOLO ARTICLE

- JK 023..**
- with metal joint wall bracket
 - with hand-shower and flexible hose
 - with metal joint wall bracket
 - with hand-shower and flexible hose

- JK 026..**
- with ABS fixed wall bracket
 - with hand-shower and flexible hose
 - with ABS fixed wall bracket
 - with hand-shower and flexible hose

- JK 022..**
- without shower set
 - without shower set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	4.72	6.67	8.13	9.51	10.59	11.49	12.27	13.44	14.2	14.93
	doccia - hand shower	4.56	6.77	8.45	9.96	11.03	12.12	12.92	14.02	14.91	15.65

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
JK 023




ESPLOSO
RICAMBI
JK 026



ESPLOSO
RICAMBI
JK 022



joker



- Concealed bath/shower mixer (2 outlets) complete with:
- stainless steel wall plate 350x120mm
- spout with aerator M18.5x1 - l. 202mm
- Master metal hand-shower and flexible hose
- 1/2" G connections

- Concealed bath/shower mixer (2 outlets) complete with:
- stainless steel wall plate 350x120mm
- spout with aerator M18.5x1 - l. 202mm
- Master metal hand-shower and flexible hose
- 1/2" G connections

ARTICOLO ARTICLE

JK 001..

- with push diverter
- with push diverter

ZPRO 056..

- Extension with diverter for art. 001
- H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	6.54	9.26	11.29	13.04	14.6	16.04	17.34	18.51	19.66	20.77
	doccia - hand shower	5.32	7.57	9.46	10.94	12.35	13.59	14.76	15.88	16.85	17.9


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
JK 001



joker



- Deck mounted mixer with diverter complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight
- Deck mounted mixer with diverter complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight

ARTICOLO ARTICLE

JK 040 L..

- with spout and aerator M28x1 (3 holes)
- with spout and aerator M28x1 (3 holes)

JK 041 L..

- without spout (2 holes)
- without spout (2 holes)

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
JK 040 L

ESPLOSO
RICAMBI
JK 041 L

JK 040 L


CR- Chrome | Chrome

JK 041 L

CR- Chrome | Chrome



joker



- Deck mounted mixer with "increased flow rate" complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight
- Deck mounted mixer with "increased flow rate" complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight

ARTICOLO ARTICLE

JK 047..

- with spout and aerator M28x1 (3 holes)
- with spout and aerator M28x1 (3 holes)

JK 048..

- without spout (2 holes)
- without spout (2 holes)

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	10.28	13.89	16.93	19.61	21.91	24.05	25.98	27.74	29.45	31.04
	doccia - hand shower	4.96	7.45	9.25	10.72	12.13	13.39	14.45	15.49	16.49	17.41

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
JK 047

ESPLOSO
RICAMBI
JK 048



joker



- Free-standing bath/shower mixer complete with:
- spout with aerator M24x1
- Master (single spray) metal hand-shower
- silver PVC hose - 1/2"x1/2" / L.1500mm
- set of 2 stainless steel hoses - M15x1/L.650 mm
- Free-standing bath/shower mixer complete with:
- spout with aerator M24x1
- Master (single spray) metal hand-shower
- silver PVC hose - 1/2"x1/2" / L.1500mm
- set of 2 stainless steel hoses - M15x1/L.650 mm

ARTICOLO ARTICLE

- JK 032..
- * Without base for floor mounting art. LIG 030
 - * Without base for floor mounting art. LIG 030

- LIG 030..
- Base for floor mounting:
 - for artt. 031-032

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	7.64	11.29	13.99	16.24	18.35	20.19	21.95	23.45	24.89	26.36
	doccia - hand shower	3.89	5.87	7.34	8.65	9.79	10.89	11.8	12.72	13.55	14.34


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
JK 032



joker



- Wash basin mixer complete with:
- aerator M16,5x1
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer complete with:
- aerator M16,5x1
- set of 2 stainless steel hoses 3/8"G

- JK 075**
CR- Chrome | Chrome
NO- Matt black | Matt black
- JK 071**
CR- Chrome | Chrome
NO- Matt black | Matt black
- JK 071K**
CR- Chrome | Chrome
NO- Matt black | Matt black

ARTICOLO ARTICLE

- JK 075..**
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- JK 071..**
- without pop up waste
 - without pop up waste

- JK 071K..**
- with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		2.81	4.09	5	5.8	6.49	7.07	7.69	8.21	8.74	9.21

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
JK 075



ESPLOSO
RICAMBI
JK 071



ESPLOSO
RICAMBI
JK 071K

