


nettuno



- Wall sink mixer complete with:
- aerator M24x1
- 1/2"G connections

- Wall sink mixer complete with:
- aerator M24x1
- 1/2"G connections

ARTICOLO ARTICLE

NT 161..

- with swivel tube straight spout - l.200mm
- with swivel tube straight spout - l.200mm


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7.53	10.63	13.1	15.17	17.04	18.74	20.27	21.72	23.1	24.3

DOCUMENTI TECNICITECHNICAL DOCUMENTS



nettuno



- One-hole sink mixer complete with:
- aerator M22x1F
- set of 2 stainless steel hoses 3/8"G
- One-hole sink mixer complete with:
- aerator M22x1F
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

NT 180..

- with swivelling spout
- with swivelling spout

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		6.43	9.27	11.26	13.01	14.73	16.05	17.43	18.65	19.73	20.88


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
NT 180



nettuno



- One-hole sink mixer with swivelling spout complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- One-hole sink mixer with swivelling spout complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

NT 181..

- with tube spout
- with tube spout

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7.41	10.27	12.5	14.42	16.04	17.65	18.98	20.3	21.54	22.67


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
NT 181



nettuno



- One-hole sink mixer with swivelling spout complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- One-hole sink mixer with swivelling spout complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

NT 182..

- with cast spout
- with cast spout

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		6.24	9.03	11.22	12.99	14.62	16.09	17.41	18.71	19.85	20.96


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
NT 182



nettuno



-
- One-hole sink mixer with swivelling spout complete with:
 - aerator M24x1
 - set of 2 stainless steel hoses 3/8"G

- One-hole sink mixer with swivelling spout complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

NT 182T..

- with tube spout
- with tube spout

NT 182T

CR- Chrome | Chrome


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
NT 182T



nettuno



- One-hole sink mixer with swivelling spout complete with:
- set of 2 stainless steel hoses 3/8"G
- 1 stainless steel hose M15x1
- 1/2"-M15x1 / L.1500mm nylon hose with ecological weight
- One-hole sink mixer with swivelling spout complete with:
- set of 2 stainless steel hoses 3/8"G
- 1 stainless steel hose M15x1
- 1/2"-M15x1 / L.1500mm nylon hose with ecological weight

ARTICOLO ARTICLE

NT 183..

- with (two-spray) ABS pull out hand-shower
- with (two-spray) ABS pull out hand-shower

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	getto normale - normal jet	3.81	5.73	7.26	8.42	9.52	10.46	11.23	12.1	12.85	13.57
	getto pioggia - rain jet	3.43	5.15	6.44	7.58	8.52	9.37	10.22	10.85	11.45	12.06


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
NT 183



nettuno



- One-hole sink mixer with swivelling spout complete with:
- set of 2 stainless steel hoses 3/8"G
- 1 stainless steel hose M15x1
- 1/2"-M15x1 / L.1500mm nylon hose with ecological weight
- One-hole sink mixer with swivelling spout complete with:
- set of 2 stainless steel hoses 3/8"G
- 1 stainless steel hose M15x1
- 1/2"-M15x1 / L.1500mm nylon hose with ecological weight

ARTICOLO ARTICLE

NT 185..

- with (two-spray) ABS pull out hand-shower
- with (two-spray) ABS pull out hand-shower

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	getto normale - normal jet	3.81	5.61	7.07	8.2	9.17	10.2	11.04	11.81	12.52	13.25
	getto pioggia - rain jet	3.39	5.03	6.23	7.35	8.29	9.14	9.92	10.61	11.24	11.84


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
NT 185



nettuno



- One-hole sink mixer with swivelling spout complete with:
- low pressure aerator M24x1
- set of 3 low pressure stainless steel hoses 3/8"G

- One-hole sink mixer with swivelling spout complete with:
- low pressure aerator M24x1
- set of 3 low pressure stainless steel hoses 3/8"G

ARTICOLO ARTICLE

NT 195..

- low pressure
- low pressure

NT 195

CR- Chrome | Chrome


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
NT 195



nettuno



- Wall sink mixer with clinical lever complete with:
- aerator M24x1
- 1/2"G connections

- Wall sink mixer with clinical lever complete with:
- aerator M24x1
- 1/2"G connections

ARTICOLO ARTICLE

NT 302..

- with swivel tube straight spout - l.200mm
- with swivel tube straight spout - l.200mm


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7.53	10.63	13.1	15.17	17.04	18.74	20.27	21.72	23.1	24.3

DOCUMENTI TECNICITECHNICAL DOCUMENTS



nettuno



- One-hole sink mixer with clinical lever complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

- One-hole sink mixer with clinical lever complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

NT 303..

- with tube spout
- with tube spout

NT 303

CR- Chrome | Chrome

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
NT 303

