


A high-quality chrome faucet with a high-arch spout and two cross-handle levers, set against a white background. The faucet features a polished chrome finish and a modern, minimalist design. The spout is tall and curved, while the handles are positioned on either side of the base. The entire unit is mounted on a circular base plate.



- 3-hole wash basin mixer with swivelling spout complete with:
- aerator F22x1
- set of 2 stainless steel hoses 1/2"G

QTV 055..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

QTV 052..

- without pop up waste
- without pop up waste

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		6.66	9.5	11.76	13.63	15.27	16.76	18.09	19.4	20.59	21.74




ESPLOSO
RICAMBI
QTV 055

ESPLOSO
RICAMBI
QTV 052



quattro



- Three-hole concealed basin mixer complete with:
- wall plates for built-in taps - Ø55mm
- wall plate for spout - Ø60mm
- 1/2"G connections

- Three-hole concealed basin mixer complete with:
- wall plates for built-in taps - Ø55mm
- wall plate for spout - Ø60mm
- 1/2"G connections

ARTICOLO ARTICLE

QTV 003..

- with spout and aerator M22x1 - l. 175mm
- with spout and aerator M22x1 - l. 175mm

QTV 008..

- with spout and aerator M22x1 - l. 245mm
- with spout and aerator M22x1 - l. 245mm

ZPRO 020..

- Extension (1 pcs) for artt. 003-008
- H13mm


RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8	11.16	13.73	15.8	17.66	19.36	21.01	22.58	24	25.42

DOCUMENTI TECNICITECHNICAL DOCUMENTS



quattro



- Basin tap complete with:
- aerator M22x1
- 1/2"G connection
- Basin tap complete with:
- aerator M22x1
- 1/2"G connection

ARTICOLO ARTICLE

QTV 090..

- Basin tap (cold water only)
- Basin tap (cold water only)

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7.4	10.66	13.26	15.38	17.15	18.82	20.48	21.92	23.29	24.74


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
QTV 090



quattro



- One-hole bidet mixer with swivelling spout complete with:
- aerator M22x1
- set of 2 stainless steel hoses 3/8"G
- One-hole bidet mixer with swivelling spout complete with:
- aerator M22x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

QTV 137..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

QTV 138..

- without pop up waste
- without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7.17	10.11	12.51	14.48	16.15	17.75	19.27	20.62	21.93	23.06

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
QTV 137



ESPLOSO
RICAMBI
QTV 138



quattro



- 3-hole bidet mixer with swivelling spout complete with:
- aerator M22x1
- set of 2 stainless steel hoses 1/2"G
- 3-hole bidet mixer with swivelling spout complete with:
- aerator M22x1
- set of 2 stainless steel hoses 1/2"G

ARTICOLO ARTICLE

- QTV 118..
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- QTV 119..
- without pop up waste
 - without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		6.54	9.4	11.61	13.49	15.19	16.68	18.06	19.38	20.63	21.78

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
QTV 118

ESPLOSO
RICAMBI
QTV 119



quattro



- 3-hole bidet mixer complete with:
- 1/2"G connections

- 3-hole bidet mixer complete with:
- 1/2"G connections

ARTICOLO ARTICLE

QTV 116..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

QTV 116

CR- Chrome | Chrome


DOCUMENTI TECNICI TECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
QTV 116



quattro



- Tap for bidet complete with:
- 1/2"G connection
- Tap for bidet complete with:
- 1/2"G connection

ARTICOLO ARTICLE

QTV 150..

- for art. 116
- for art. 116

QTV 150

CR- Chrome | Chrome


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
QTV 150



quattro



- Wall mounted shower mixer complete with:
- 1/2"G lower connection
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Wall mounted shower mixer complete with:
- 1/2"G lower connection
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

ARTICOLO ARTICLE

QTV 168D..

- with metal joint wall bracket
- with hand-shower and flexible hose
- with metal joint wall bracket
- with hand-shower and flexible hose

QTV 168..

- without shower set
- without shower set

QTV 168R..

- with 3/4"G upper connection
- with 3/4"G upper connection

QTV 168D

CR- Chrome | Chrome

QTV 168

CR- Chrome | Chrome

QTV 168R

CR- Chrome | Chrome

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
QTV 168D




ESPLOSO
RICAMBI
QTV 168



ESPLOSO
RICAMBI
QTV 168R



quattro



- Concealed thermostatic shower mixer (1 outlet) complete with:
- metal wall plate Ø200mm
- 1/2"G connections

- Concealed thermostatic shower mixer (1 outlet) complete with:
- metal wall plate Ø200mm
- 1/2"G connections

ARTICOLO ARTICLE

QTV 013..

- without diverter (1 outlet + stop)
- without diverter (1 outlet + stop)

ZPRO 076..

- Extension for art. 013
- H20mm

QTV 013

CR- Chrome | Chrome

ZPRO 076

- CR- Chrome


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
QTV 013



quattro



- Concealed thermostatic shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2"G connections
- Concealed thermostatic shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2"G connections

ARTICOLO ARTICLE

QTV 018..

- with diverter cartridge (2 outlets + stop)
- with diverter cartridge (2 outlets + stop)

ZPRO 077..

- Extension for artt. 018-019
- H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita destra - right outlet	6.48	9.66	12.07	14.08	15.9	17.5	19.06	20.47	21.79	22.98
	uscita sinistra - left outlet	6.31	9.47	11.75	13.78	15.94	17.68	19.16	20.41	21.83	23


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
QTV 018



quattro



- Concealed thermostatic shower mixer (3 outlets) complete with:
- metal wall plate Ø200mm
- 1/2"G connections
- Concealed thermostatic shower mixer (3 outlets) complete with:
- metal wall plate Ø200mm
- 1/2"G connections

ARTICOLO ARTICLE

QTV 019..

- with diverter cartridge (3 outlets + 3 stop intermediate positions)
- with diverter cartridge (3 outlets + 3 stop intermediate positions)

ZPRO 077..

- Extension for artt. 018-019
- H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	6.2	9.4	11.7	13.7	15.8	17.4	19	20.3	21.7	22.8
	uscita destra - right outlet	6.48	9.66	12.07	14.08	15.9	17.5	19.06	20.47	21.79	22.98
	uscita sinistra - left outlet	6.31	9.47	11.75	13.78	15.94	17.68	19.16	20.41	21.83	23


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
QTV 019



quattro



- Traditional bath/shower mixer with diverter complete with:
 - aerator M28x1
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Traditional bath/shower mixer with diverter complete with:
 - aerator M28x1
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

ARTICOLO ARTICLE

QTV 023..

- with metal joint wall bracket
- with hand-shower and flexible hose
- with metal joint wall bracket
- with hand-shower and flexible hose

QTV 022..

- without shower set
- without shower set

QTV 023

CR- Chrome | Chrome

QTV 022

CR- Chrome | Chrome

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
QTV 023



ESPLOSO
RICAMBI
QTV 022



quattro



- Built-in tap complete with:
- wall plate Ø55mm
- 1/2"G connections

- Built-in tap complete with:
- wall plate Ø55mm
- 1/2"G connections

ARTICOLO ARTICLE

QTV 010..

- with 1 inlet - 1 outlet
- with 1 inlet - 1 outlet

ZPRO 020 . .

- Extension (1 pcs) for art. 010
- H13mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.7	12.27	15.05	17.35	19.31	21.11	23.06	24.52	25.91	27.49
		4.68	6.86	8.53	9.92	11.13	12.37	13.31	14.3	15.27	15.96


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
QTV 010



quattro



- Minimal concealed diverter complete with:
- metal wall plate Ø80mm
- QUATTRO handle
- 1/2"G connections

- Minimal concealed diverter complete with:
- metal wall plate Ø80mm
- QUATTRO handle
- 1/2"G connections

ARTICOLO ARTICLE

ZDEV 079..QTV

- with 2 inlets - 2 outlets
- with 2 inlets - 2 outlets

ZVIT 112

- Diverter cartridge Ø26 mm for art. ZDEV079..QTV

ZPRO 063

- Extension for artt. ZDEV079..QTV - H30mm

ZDEV 079..QTV

CR- Chrome | Chrome

ZVIT 112

ZPRO 063

- CR- Chrome


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
ZDEV
079..QTV



quattro



- One-hole wash basin mixer with swivelling spout complete with:
- aerator M22x1
- set of 2 stainless steel hoses 3/8"G
- One-hole wash basin mixer with swivelling spout complete with:
- aerator M22x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

QTV 077..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

QTV 078..

- without pop up waste
- without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7.52	10.45	12.74	14.76	16.44	17.99	19.38	20.71	22.05	23.19

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
QTV 077



ESPLOSO
RICAMBI
QTV 078

