


red



- One-hole sink mixer with swivelling spout complete with:
- Minimal ABS hand-shower (two spray-functions)
- set of 2 stainless steel hoses 3/8"G
- One-hole sink mixer with swivelling spout complete with:
- Minimal ABS hand-shower (two spray-functions)
- set of 2 stainless steel hoses 3/8"G

RED 179
CR- Chrome | Chrome

ARTICOLO ARTICLE

RED 179..

- Professional
- Professional

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		3.57	5.21	6.42	7.42	8.3	9.13	9.91	10.6	11.27	11.89


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RED 179



red



- One-hole sink mixer complete with:
- aerator M22x1F
- set of 2 stainless steel hoses 3/8"G
- One-hole sink mixer complete with:
- aerator M22x1F
- set of 2 stainless steel hoses 3/8"G

RED 180
CR- Chrome | Chrome

ARTICOLO ARTICLE

- RED 180..**
- with swivelling spout - Ø22mm
 - with swivelling spout - Ø22mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		5.72	8.04	9.88	11.43	12.8	13.97	15.03	16.13	17.04	17.94


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RED 180



red



- One-hole sink mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- One-hole sink mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

RED 181
CR- Chrome | Chrome

ARTICOLO ARTICLE

- RED 181..
- with swivelling spout - Ø20mm
 - with swivelling spout - Ø20mm


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		5.66	8.3	10.31	11.95	13.39	14.76	15.98	17.26	18.23	19.32

DOCUMENTI TECNICITECHNICAL DOCUMENTS



red



- One-hole sink mixer with swivelling spout complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- One-hole sink mixer with swivelling spout complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

RED 182T..

- with tube spout
- with tube spout


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		5.24	8.17	10.28	12.1	13.55	14.94	16.18	17.39	18.5	19.46

DOCUMENTI TECNICITECHNICAL DOCUMENTS



red



- One-hole sink mixer with swivelling spout complete with:
- set of 2 stainless steel hoses 3/8"G
- 1 stainless steel hose M15x1
- 1/2"-M15x1 / L.1500mm nylon hose with ecological weight
- One-hole sink mixer with swivelling spout complete with:
- set of 2 stainless steel hoses 3/8"G
- 1 stainless steel hose M15x1
- 1/2"-M15x1 / L.1500mm nylon hose with ecological weight

ARTICOLO ARTICLE

RED 183..

- with (two-spray) ABS pull out hand-shower
- with (two-spray) ABS pull out hand-shower


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	getto normale - normal jet	3.02	4.54	5.72	6.73	7.53	8.28	9	9.66	10.21	10.82
	getto pioggia - rain jet	2.5	3.77	4.77	5.59	6.27	6.91	7.48	8.01	8.48	8.97

DOCUMENTI TECNICITECHNICAL DOCUMENTS



red



- One-hole sink mixer with swivelling spout complete with:
- set of 2 stainless steel hoses 3/8"G
- 1 stainless steel hose M15x1
- 1/2"-M15x1 / L.1500mm nylon hose with ecological weight
- One-hole sink mixer with swivelling spout complete with:
- set of 2 stainless steel hoses 3/8"G
- 1 stainless steel hose M15x1
- 1/2"-M15x1 / L.1500mm nylon hose with ecological weight

RED 285
CR- Chrome | Chrome

ARTICOLO ARTICLE

RED 285..

- with (two-spray) metal pull out hand-shower
- with (two-spray) metal pull out hand-shower


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	getto normale - normal jet	2.93	4.47	5.65	6.52	7.42	8.12	8.77	9.42	10.02	10.65
	getto pioggia - rain jet	2.94	4.5	5.7	6.7	7.6	8.4	9.09	9.8	10.4	11

DOCUMENTI TECNICITECHNICAL DOCUMENTS



red



- Wall sink mixer complete with:
- aerator M24x1
- 1/2"G connections
- Wall sink mixer complete with:
- aerator M24x1
- 1/2"G connections

ARTICOLO ARTICLE

- RED 161..
- with swivel tube straight spout - l.200mm
 - with swivel tube straight spout - l.200mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7	9.93	12.21	14.2	15.85	17.4	18.81	20.18	21.42	22.6


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RED 161



red



- Wall sink mixer with clinical lever complete with:
- aerator M24x1
- 1/2"G connections

- Wall sink mixer with clinical lever complete with:
- aerator M24x1
- 1/2"G connections

ARTICOLO ARTICLE

RED 302..

- with swivel tube straight spout - l.200mm
- with swivel tube straight spout - l.200mm


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7	9.93	12.21	14.2	15.85	17.4	18.81	20.18	21.42	22.6

DOCUMENTI TECNICITECHNICAL DOCUMENTS



red



- One-hole sink mixer with clinical lever complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- One-hole sink mixer with clinical lever complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

RED 303..

- with tube spout
- with tube spout

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		5.24	8.17	10.28	12.1	13.55	14.94	16.18	17.39	18.5	19.46

DOCUMENTI TECNICITECHNICAL DOCUMENTS

