


red



- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

RED 075..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

RED 071..

- without pop up waste
- without pop up waste

RED 070..

- with 1"G pop up waste
- with 1"G pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		6.33	8.92	10.93	12.66	14.1	15.5	16.73	17.85	18.94	20.02

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
RED 075

ESPLOSO
RICAMBI
RED 071

ESPLOSO
RICAMBI
RED 070



red



- Wash basin mixer complete with:
- Energy & Water Saving cartridge
- aerator M24x1 with flow reducer
- set of 2 stainless steel hoses 3/8"G

- Wash basin mixer complete with:
- Energy & Water Saving cartridge
- aerator M24x1 with flow reducer
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

RED 075.. -EWS

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

RED 071.. -EWS

- without pop up waste
- without pop up waste

RED 075.. -EWS

CR- Chrome | Chrome

RED 071.. -EWS

CR- Chrome | Chrome

TECNOLOGIE TECHNOLOGIES



ENERGY SAVING



WATER SAVING

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
RED 075.. -
EWS



ESPLOSO
RICAMBI
RED 071.. -
EWS



red



- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

RED 071..120

- without pop up waste
- with extension 125 mm
- without pop up waste
- with extension 125 mm

RED 071..120

CR- Chrome | Chrome


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RED 071..120



red



- Concealed single lever basin mixer complete with:
 - stainless steel wall plate 250x100mm
 - 1/2" G connections
- Concealed single lever basin mixer complete with:
 - stainless steel wall plate 250x100mm
 - 1/2" G connections

- RED 104**
CR- Chrome | Chrome
- RED 105**
CR- Chrome | Chrome
- RED 106**
CR- Chrome | Chrome
- ZPRO 057**
 - CR- Chrome

ARTICOLO ARTICLE

- RED 104..**
- with spout and aerator M24x1 - l. 150mm
 - with spout and aerator M24x1 - l. 150mm

- RED 105..**
- with spout and aerator M24x1 - l. 200mm
 - with spout and aerator M24x1 - l. 200mm

- RED 106..**
- with spout and aerator M24x1 - l. 240mm
 - with spout and aerator M24x1 - l. 240mm

- ZPRO 057..**
- Extension for artt. 104-105-106
 - H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		5.86	8.01	9.82	11.28	12.59	13.82	14.91	15.93	16.87	17.82

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
RED 104

ESPLOSO
RICAMBI
RED 105

ESPLOSO
RICAMBI
RED 106



red



- Basin tap complete with:
- aerator M18x1
- ceramic disc valve
- 1/2"G connection

- Basin tap complete with:
- aerator M18x1
- ceramic disc valve
- 1/2"G connection

ARTICOLO ARTICLE

RED 090..

- cold water only
- cold water only


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		5.07	7.33	9.08	10.56	11.83	12.98	14.04	15.06	15.98	16.92

DOCUMENTI TECNICITECHNICAL DOCUMENTS



red



- Wash basin mixer with clinical lever complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer with clinical lever complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

RED 305..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

RED 301..

- without pop up waste
- without pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		6.33	8.92	10.93	12.66	14.1	15.5	16.73	17.85	18.94	20.02

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
RED 305



ESPLOSO
RICAMBI
RED 301



red



- Bidet mixer complete with:
- with swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer complete with:
- with swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

RED 135..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

RED 131..

- without pop up waste
- without pop up waste

RED 130..

- with 1"G pop up waste
- with 1"G pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		6.2	8.77	10.69	12.35	13.8	15.15	16.38	17.47	18.48	19.51

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
RED 135

ESPLOSO
RICAMBI
RED 131

ESPLOSO
RICAMBI
RED 130



red



- Shower mixer complete with:
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Shower mixer complete with:
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

ARTICOLO ARTICLE

RED 168D..

- with standard swivelling wall bracket
- with Trieste Bis hand-shower and flexible hose
- with standard swivelling wall bracket
- with Trieste Bis hand-shower and flexible hose

RED 168..

- without shower set
- with 1/2"G lower connection
- without shower set
- with 1/2"G lower connection


RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7.48	10.31	12.52	14.49	16.11	17.58	18.93	20.2	21.34	22.47

DOCUMENTI TECNICITECHNICAL DOCUMENTS



red



- Concealed shower mixer (1 outlet) complete with:
- wall plate 110x110mm
- 1/2"G connections
- Concealed shower mixer (1 outlet) complete with:
- wall plate 110x110mm
- 1/2"G connections

ARTICOLO ARTICLE

RED 010..

- without diverter
- without diverter

ZPRO 013..

- Extension for art. 010
- H43mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RED 010



red



- Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G hot/cold and upper connections - 3/4"G lower connection
- Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G hot/cold and upper connections - 3/4"G lower connection

ARTICOLO ARTICLE

RED 015..

- with push diverter
- with push diverter

ZPRO 028..

- Extension with diverter for art. 015
- H30mm

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RED 015

RED 015

CR- Chrome | Chrome



CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate

ZPRO 028

- CR- Chrome



red



- Concealed shower mixer (2 outlets) complete with:
- wall plate 120x190mm
- 1/2"G connections

- Concealed shower mixer (2 outlets) complete with:
- wall plate 120x190mm
- 1/2"G connections

ARTICOLO ARTICLE

RED 018..

- with diverter cartridge (2 outlets + 1 combined position)
- with diverter cartridge (2 outlets + 1 combined position)

ZPRO 068..

- Extension with diverter for artt. 018-019
- H30mm

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RED 018

RED 018

CR- Chrome | Chrome



CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate

ZPRO 068

- CR- Chrome



red



- Concealed shower mixer (3 outlets) complete with:
- wall plate 120x190mm
- 1/2" G connections

- Concealed shower mixer (3 outlets) complete with:
- wall plate 120x190mm
- 1/2" G connections

ARTICOLO ARTICLE

RED 019..

- with diverter cartridge (3 outlets + 3 combined positions)
- with diverter cartridge (3 outlets + 3 combined positions)

ZPRO 068..

- Extension with diverter for artt. 018-019
- H30mm


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita destra - right outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita sinistra - left outlet	5.6	7.76	9.49	11.07	12.3	13.49	14.52	15.54	16.43	17.37

DOCUMENTI TECNICITECHNICAL DOCUMENTS



red



- Bath/shower mixer with diverter complete with:
 - aerator M28x1
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Bath/shower mixer with diverter complete with:
 - aerator M28x1
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

- RED 023**
CR- Chrome | Chrome
- RED 024**
CR- Chrome | Chrome
- RED 026**
CR- Chrome | Chrome
- RED 022**
CR- Chrome | Chrome

ARTICOLO ARTICLE

RED 023..

- with standard swivelling wall bracket
- with hand-shower and flexible hose
- with standard swivelling wall bracket
- with hand-shower and flexible hose

RED 024..

- with Stick wall bracket
- with Lance hand-shower and flexible hose
- with Stick wall bracket
- with Lance hand-shower and flexible hose

RED 026..

- with ABS fixed wall bracket
- with hand-shower and flexible hose
- with ABS fixed wall bracket
- with hand-shower and flexible hose

RED 022..

- without shower set
- without shower set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	7.41	10.38	12.72	14.66	16.46	17.74	19.13	20.47	21.73	22.96
	doccia - hand shower	7.09	9.98	12.13	13.88	15.48	16.93	18.2	19.43	20.62	21.73



DOCUMENTI TECNICITECHNICAL DOCUMENTS







ESPLOSO
RICAMBI
RED 023



ESPLOSO
RICAMBI
RED 024




ESPLOSO
RICAMBI
RED 026



ESPLOSO
RICAMBI
RED 022



red



- Concealed bath/shower mixer (2 outlets) complete with:
- stainless steel wall plate 350x120mm
- spout with aerator M28x1 - l. 192mm
- hand shower and flexible hose
- 1/2"G connections

- Concealed bath/shower mixer (2 outlets) complete with:
- stainless steel wall plate 350x120mm
- spout with aerator M28x1 - l. 192mm
- hand shower and flexible hose
- 1/2"G connections

ARTICOLO ARTICLE

RED 001..

- with push diverter
- with push diverter

ZPRO 056..

- Extension with diverter for art. 001
- H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT


		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	6.66	9.47	11.68	13.53	15.12	16.55	17.96	19.18	20.35	21.46
	doccia - hand shower	5	7.28	8.95	10.32	11.64	12.85	13.96	14.93	15.82	16.86

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RED 001





- RED 040L**
CR- Chrome | Chrome
- RED 041L**
CR- Chrome | Chrome

RED 040L..

- with spout and aerator M28x1 (3 holes)
- with spout and aerator M28x1 (3 holes)

RED 041L..

- without spout (2 holes)
- without spout (2 holes)



ESPLOSO
RICAMBI
RED 040L



ESPLOSO
RICAMBI
RED 041L

