


ringo-west



- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

- RIN 075**
CR- Chrome | Chrome
NO- Matt black | Matt black
- RIN 071**
CR- Chrome | Chrome
NO- Matt black | Matt black
- RIN 071K**
CR- Chrome | Chrome
NO- Matt black | Matt black

ARTICOLO ARTICLE

- RIN 075.. / WS 075..**
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- RIN 071.. / WS 071..**
- without pop up waste
 - without pop up waste

- RIN 071K.. / WS 071K..**
- with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7.06	9.93	12.05	13.88	15.46	16.97	18.33	19.54	20.7	21.77

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RIN 075




ESPLOSO
RICAMBI
RIN 071



ESPLOSO
RICAMBI
RIN 071K



ringo-west



- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

RIN 075.. / WS 075..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

RIN 071.. / WS 071..

- without pop up waste
- without pop up waste

RIN 071K.. / WS 071K..

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7.06	9.93	12.05	13.88	15.46	16.97	18.33	19.54	20.7	21.77

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
WS 075

ESPLOSO
RICAMBI
WS 071

ESPLOSO
RICAMBI
WS 071K



A modern, minimalist chrome faucet. It features a tall, cylindrical body with a polished finish. A long, horizontal spout extends from the side of the body. The faucet has a sleek, contemporary design with sharp lines and a reflective surface. A small, rectangular handle is mounted on top of the cylindrical body. The base of the faucet is a wide, circular foot. The background is plain white.



- Wash basin mixer complete with:
- Energy Saving cartridge
- aerator M24x1 with flow reducer
- set of 2 stainless steel hoses 3/8" G

RIN 075.. -ES / WS 075.. -ES

- RIN 071.. -ES / WS 071.. -ES

- without pop up waste
- without pop up waste

NO- Matt black | Matt black

TECNOLOGIE TECHNOLOGIES



ENERGY SAVING

DOCUMENTI TECNICI TECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
BIN 075...-ES

ESPLOSO
RICAMBI
RIN 071..-ES



ringo-west



- Wash basin mixer complete with:
- Energy Saving cartridge
- aerator M24x1 with flow reducer
- set of 2 stainless steel hoses 3/8"G

- Wash basin mixer complete with:
- Energy Saving cartridge
- aerator M24x1 with flow reducer
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

RIN 075.. -ES / WS 075.. -ES

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

RIN 071.. -ES / WS 071.. -ES

- without pop up waste
- without pop up waste

WS 075.. -ES

CR- Chrome | Chrome

WS 071.. -ES

CR- Chrome | Chrome

TECNOLOGIE TECHNOLOGIES



ENERGY SAVING

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
WS 075.. -ES

ESPLOSO
RICAMBI
WS 071.. -ES



A modern, minimalist chrome faucet with a tall, cylindrical body and a long, horizontal spout. The faucet has a sleek, rectangular handle on top and a small, rectangular foot pedal on the side of the base. The spout is long and rectangular, ending in a small, rounded tip. The entire faucet is made of polished chrome, giving it a bright, reflective appearance.



- RIN 073**
CR- Chrome | Chrome
NO- Matt black | Matt black
- RIN 074**
CR- Chrome | Chrome
NO- Matt black | Matt black
- RIN 074K**
CR- Chrome | Chrome
NO- Matt black | Matt black

RIN 073.. / WS 073..

- RIN 074.. / WS 074..

- without pop up waste
- without pop up waste

- RIN 074K.. / WS 074K..

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		5.82	8.43	10.44	12.11	13.58	14.95	16.19	17.38	18.53	19.51

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
RIN 073

ESPLOSO
RICAMBI
RIN 074

ESPLOSO
RICAMBI
RIN 074K



ringo-west



- Medium wash basin mixer complete with:
 - aerator M24x1
 - set of 2 stainless steel hoses 3/8" G
- Medium wash basin mixer complete with:
 - aerator M24x1
 - set of 2 stainless steel hoses 3/8" G

ARTICOLO ARTICLE

RIN 073.. / WS 073..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

RIN 074.. / WS 074..

- without pop up waste
- without pop up waste

RIN 074K.. / WS 074K..

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		5.82	8.43	10.44	12.11	13.58	14.95	16.19	17.38	18.53	19.51

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
WS 073

ESPLOSO
RICAMBI
WS 074

ESPLOSO
RICAMBI
WS 074K



ringo-west



- Tall wash basin mixer complete with:
 - aerator M24x1
 - set of 2 stainless steel hoses 3/8"G
- Tall wash basin mixer complete with:
 - aerator M24x1
 - set of 2 stainless steel hoses 3/8"G

- RIN 085**
CR- Chrome | Chrome
NO- Matt black | Matt black
- RIN 081**
CR- Chrome | Chrome
NO- Matt black | Matt black
- RIN 081K**
CR- Chrome | Chrome
NO- Matt black | Matt black

ARTICOLO ARTICLE

- RIN 085.. / WS 085..**
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- RIN 081.. / WS 081..**
- without pop up waste
 - without pop up waste

- RIN 081K.. / WS 081K..**
- with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.99	7.34	9.16	10.63	12.03	13.23	14.32	15.4	16.39	17.33

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RIN 085




ESPLOSO
RICAMBI
RIN 081



ESPLOSO
RICAMBI
RIN 081K



ringo-west



- Tall wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8" G
- Tall wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8" G

ARTICOLO ARTICLE

RIN 085.. / WS 085..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

RIN 081.. / WS 081..

- without pop up waste
- without pop up waste

RIN 081K.. / WS 081K..

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.99	7.34	9.16	10.63	12.03	13.23	14.32	15.4	16.39	17.33

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
WS 085




ESPLOSO
RICAMBI
WS 081



ESPLOSO
RICAMBI
WS 081K



ringo-west



- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x100mm
- 1/2"G connections
- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x100mm
- 1/2"G connections

- RIN 104**
CR- Chrome | Chrome
NO- Matt black | Matt black
- RIN 105**
CR- Chrome | Chrome
NO- Matt black | Matt black
- RIN 106**
CR- Chrome | Chrome
NO- Matt black | Matt black
- ZPRO 057**
 - CR- Chrome
 - NO- Matt black

ARTICOLO ARTICLE

- RIN 104.. / WS 104..**
- with spout and aerator M24x1 - l. 150mm
 - with spout and aerator M24x1 - l. 150mm

- RIN 105.. / WS 105..**
- with spout and aerator M24x1 - l. 200mm
 - with spout and aerator M24x1 - l. 200mm

- RIN 106.. / WS 106..**
- with spout and aerator M24x1 - l. 240mm
 - with spout and aerator M24x1 - l. 240mm

- ZPRO 057..**
- Extension for artt. 104-105-106
 - H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.76	6.55	7.93	9.14	10.22	11.15	12.09	12.92	13.65	14.45



DOCUMENTI TECNICITECHNICAL DOCUMENTS






ESPLOSO
RICAMBI
RIN 104

ESPLOSO
RICAMBI
RIN 105

ESPLOSO
RICAMBI
RIN 106



ringo-west



- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x100mm
- 1/2"G connections
- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x100mm
- 1/2"G connections

- WS 104**
CR- Chrome | Chrome
- WS 105**
CR- Chrome | Chrome
- WS 106**
CR- Chrome | Chrome
- ZPRO 057**
 - CR- Chrome
 - NO- Matt black

ARTICOLO ARTICLE

- RIN 104.. / WS 104..**
- with spout and aerator M24x1 - l. 150mm
 - with spout and aerator M24x1 - l. 150mm

- RIN 105.. / WS 105..**
- with spout and aerator M24x1 - l. 200mm
 - with spout and aerator M24x1 - l. 200mm

- RIN 106.. / WS 106..**
- with spout and aerator M24x1 - l. 240mm
 - with spout and aerator M24x1 - l. 240mm

- ZPRO 057..**
- Extension for artt. 104-105-106
 - H20mm


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.76	6.55	7.93	9.14	10.22	11.15	12.09	12.92	13.65	14.45

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ringo-west



- Bidet mixer complete with:
- with swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer complete with:
- with swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G

- RIN 135**
CR- Chrome | Chrome
NO- Matt black | Matt black
- RIN 131**
CR- Chrome | Chrome
NO- Matt black | Matt black
- RIN 131K**
CR- Chrome | Chrome
NO- Matt black | Matt black

ARTICOLO ARTICLE

- RIN 135.. / WS 135..**
- with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- RIN 131.. / WS 131..**
- without pop up waste
 - without pop up waste

- RIN 131K.. / WS 131K..**
- with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		5.89	8.54	10.59	12.25	13.76	15.13	16.44	17.56	18.69	19.72

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
RIN 135

ESPLOSO
RICAMBI
RIN 131

ESPLOSO
RICAMBI
RIN 131K



ringo-west



- Bidet mixer complete with:
- with swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer complete with:
- with swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

RIN 135.. / WS 135..

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

RIN 131.. / WS 131..

- without pop up waste
- without pop up waste

RIN 131K.. / WS 131K..

- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		5.89	8.54	10.59	12.25	13.76	15.13	16.44	17.56	18.69	19.72

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
WS 135

ESPLOSO
RICAMBI
WS 131

ESPLOSO
RICAMBI
WS 131K



ringo-west



- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

- RIN 168D**
CR- Chrome | Chrome
NO- Matt black | Matt black
- RIN 168**
CR- Chrome | Chrome
NO- Matt black | Matt black
- RIN 168R**
CR- Chrome | Chrome
NO- Matt black | Matt black

ARTICOLO ARTICLE

- RIN 168D.. / WS 168D..**
- with ABS joint wall bracket
 - with hand-shower and flexible hose
 - with ABS joint wall bracket
 - with hand-shower and flexible hose

- RIN 168.. / WS 168..**
- without shower set
 - with 1/2"G lower connection
 - without shower set
 - with 1/2"G lower connection

- RIN 168R.. / WS 168R..**
- overturned without shower set
 - with 3/4"G upper connection
 - overturned without shower set
 - with 3/4"G upper connection

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.82	12.68	15.41	17.93	20.08	21.93	23.81	25.69	27.33	28.66



DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RIN 168D




ESPLOSO
RICAMBI
RIN 168



ESPLOSO
RICAMBI
RIN 168R



ringo-west



- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

- WS 168D**
 - CR- Chrome | Chrome
- WS 168**
 - CR- Chrome | Chrome
- WS 168R**
 - CR- Chrome | Chrome

ARTICOLO ARTICLE

RIN 168D.. / WS 168D..

- with ABS joint wall bracket
- with hand-shower and flexible hose
- with ABS joint wall bracket
- with hand-shower and flexible hose

RIN 168.. / WS 168..

- without shower set
- with 1/2"G lower connection
- without shower set
- with 1/2"G lower connection

RIN 168R.. / WS 168R..

- overturned without shower set
- with 3/4"G upper connection
- overturned without shower set
- with 3/4"G upper connection


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.82	12.68	15.41	17.93	20.08	21.93	23.81	25.69	27.33	28.66

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ringo-west



- Bath/shower mixer with diverter complete with:
 - aerator M28x1
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Bath/shower mixer with diverter complete with:
 - aerator M28x1
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

- RIN 023**
CR- Chrome | Chrome
NO- Matt black | Matt black
- RIN 026**
CR- Chrome | Chrome
NO- Matt black | Matt black
- RIN 022**
CR- Chrome | Chrome
NO- Matt black | Matt black

ARTICOLO ARTICLE

- RIN 023.. / WS 023..**
- with ABS joint wall bracket
 - with hand-shower and flexible hose
 - with ABS joint wall bracket
 - with hand-shower and flexible hose

- RIN 026.. / WS 026..**
- with ABS fixed wall bracket
 - with hand-shower and flexible hose
 - with ABS fixed wall bracket
 - with hand-shower and flexible hose

- RIN 022.. / WS 022..**
- without shower set
 - without shower set


RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	6.67	9.68	11.95	13.96	15.6	17.18	18.63	19.99	21.19	22.32
	doccia - hand shower	5.62	8.1	10.05	11.65	13.01	14.35	15.55	16.65	17.74	18.68

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ringo-west



- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

- WS 023**
CR- Chrome | Chrome
- WS 026**
CR- Chrome | Chrome
- WS 022**
CR- Chrome | Chrome

ARTICOLO ARTICLE

- RIN 023.. / WS 023..**
- with ABS joint wall bracket
 - with hand-shower and flexible hose
 - with ABS joint wall bracket
 - with hand-shower and flexible hose

- RIN 026.. / WS 026..**
- with ABS fixed wall bracket
 - with hand-shower and flexible hose
 - with ABS fixed wall bracket
 - with hand-shower and flexible hose

- RIN 022.. / WS 022..**
- without shower set
 - without shower set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	6.67	9.68	11.95	13.96	15.6	17.18	18.63	19.99	21.19	22.32
	doccia - hand shower	5.62	8.1	10.05	11.65	13.01	14.35	15.55	16.65	17.74	18.68

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
WS 023

ESPLOSO
RICAMBI
WS 026

ESPLOSO
RICAMBI
WS 022



ringo-west



- Concealed shower mixer (1 outlet) complete with:
 - wall plate 110x110mm
 - 1/2"G connections
- Concealed shower mixer (1 outlet) complete with:
 - wall plate 110x110mm
 - 1/2"G connections

- RIN 010**
CR- Chrome | Chrome
CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate
NO/M- Matt black with stainless steel wall plate | Matt black with stainless steel wall plate
- ZPRO 013**
 - CR- Chrome
 - NO- Matt black

ARTICOLO ARTICLE

RIN 010.. / WS 010..

- without diverter
- without diverter

ZPRO 013..

- Extension for art. 010
- H43mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RIN 010



ringo-west



- Concealed shower mixer (1 outlet) complete with:
- wall plate 110x110mm
- 1/2"G connections
- Concealed shower mixer (1 outlet) complete with:
- wall plate 110x110mm
- 1/2"G connections

ARTICOLO ARTICLE

RIN 010.. / WS 010..

- without diverter
- without diverter

ZPRO 013..

- Extension for art. 010
- H43mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
WS 010



ringo-west



-
- Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G hot/cold and upper connections - 3/4"G lower connection
 - Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G hot/cold and upper connections - 3/4"G lower connection

RIN 015

CR- Chrome | Chrome

CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate

NO/M- Matt black with stainless steel wall plate | Matt black with stainless steel wall plate

ZPRO 028

- CR- Chrome
- NO- Matt black

ARTICOLO ARTICLE

RIN 015.. / WS 015..

- with push diverter
- with push diverter

ZPRO 028..

- Extension with diverter for art. 015
- H30mm


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RIN 015



ringo-west



-
- Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G hot/cold and upper connections - 3/4"G lower connection
 - Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G hot/cold and upper connections - 3/4"G lower connection

WS 015

CR- Chrome | Chrome

CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate

ZPRO 028

- CR- Chrome
- NO- Matt black

ARTICOLO ARTICLE

RIN 015.. / WS 015..

- with push diverter
- with push diverter

ZPRO 028..

- Extension with diverter for art. 015
- H30mm


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
WS 015



ringo-west



- Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G connections
- Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G connections

RIN 018

CR- Chrome | Chrome

CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate

NO/M- Matt black with stainless steel wall plate | Matt black with stainless steel wall plate

ZPRO 068

- CR- Chrome
- NO- Matt black

ARTICOLO ARTICLE

RIN 018.. / WS 018..

- with diverter cartridge (2 outlets + 1 combined position)
- with diverter cartridge (2 outlets + 1 combined position)

ZPRO 068..

- Extension with diverter for artt. 018-019
- H30mm



DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RIN 018



ringo-west



- Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G connections
- Concealed shower mixer (2 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G connections

WS 018

CR- Chrome | Chrome

CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate

ZPRO 068

- CR- Chrome
- NO- Matt black

ARTICOLO ARTICLE

RIN 018.. / WS 018..

- with diverter cartridge (2 outlets + 1 combined position)
- with diverter cartridge (2 outlets + 1 combined position)

ZPRO 068..

- Extension with diverter for artt. 018-019
- H30mm


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
WS 018



ringo-west



- Concealed shower mixer (3 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G connections
- Concealed shower mixer (3 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G connections

- RIN 019**
CR- Chrome | Chrome
CR/M- Chrome with stainless steel wall plate | Chrome with stainless steel wall plate
NO/M- Matt black with stainless steel wall plate | Matt black with stainless steel wall plate
- ZPRO 068**
 - CR- Chrome
 - NO- Matt black

ARTICOLO ARTICLE

- RIN 019.. / WS 019..**
- with diverter cartridge (3 outlets + 3 combined positions)
 - with diverter cartridge (3 outlets + 3 combined positions)

- ZPRO 068..**
- Extension with diverter for artt. 018-019
 - H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita destra - right outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita sinistra - left outlet	5.6	7.76	9.49	11.07	12.3	13.49	14.52	15.54	16.43	17.37



DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RIN 019



ringo-west



- Concealed shower mixer (3 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G connections
- Concealed shower mixer (3 outlets) complete with:
 - wall plate 120x190mm
 - 1/2"G connections

ARTICOLO ARTICLE

RIN 019.. / WS 019..

- with diverter cartridge (3 outlets + 3 combined positions)
- with diverter cartridge (3 outlets + 3 combined positions)

ZPRO 068..

- Extension with diverter for artt. 018-019
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	5.66	7.94	9.77	11.22	12.59	13.78	14.86	15.89	16.83	17.81
	uscita destra - right outlet	5.53	7.73	9.52	11.08	12.37	13.59	14.65	15.7	16.65	17.59
	uscita sinistra - left outlet	5.6	7.76	9.49	11.07	12.3	13.49	14.52	15.54	16.43	17.37


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
WS 019



ringo-west



- Concealed bath/shower mixer (2 outlets) complete with:
 - stainless steel wall plate 350x120mm
 - spout with aerator M28x1 - l. 192mm
 - hand shower and flexible hose
 - 1/2"G connections
- Concealed bath/shower mixer (2 outlets) complete with:
 - stainless steel wall plate 350x120mm
 - spout with aerator M28x1 - l. 192mm
 - hand shower and flexible hose
 - 1/2"G connections

ARTICOLO ARTICLE

RIN 001.. / WS 001..

- with push diverter
- with push diverter

ZPRO 056..

- Extension with diverter for art. 001
- H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	6.66	9.47	11.68	13.53	15.12	16.55	17.96	19.18	20.35	21.46
	doccia - hand shower	5	7.28	8.95	10.32	11.64	12.85	13.96	14.93	15.82	16.86


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
RIN 001



ringo-west



- Concealed bath/shower mixer (2 outlets) complete with:
 - stainless steel wall plate 350x120mm
 - spout with aerator M28x1 - l. 192mm
 - hand shower and flexible hose
 - 1/2"G connections
- Concealed bath/shower mixer (2 outlets) complete with:
 - stainless steel wall plate 350x120mm
 - spout with aerator M28x1 - l. 192mm
 - hand shower and flexible hose
 - 1/2"G connections

ARTICOLO ARTICLE

RIN 001.. / WS 001..

- with push diverter
- with push diverter

ZPRO 056..

- Extension with diverter for art. 001
- H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	6.66	9.47	11.68	13.53	15.12	16.55	17.96	19.18	20.35	21.46
	doccia - hand shower	5	7.28	8.95	10.32	11.64	12.85	13.96	14.93	15.82	16.86

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
WS 001

WS 001


CR- Chrome | Chrome

ZPRO 056

- CR- Chrome
- NO- Matt black



ringo-west



- Deck mounted mixer with diverter complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight
- Deck mounted mixer with diverter complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight

ARTICOLO ARTICLE

RIN 040L.. / WS 040L..

- with waterfall spout (3 holes)
- with waterfall spout (3 holes)

RIN 041L.. / WS 041L..

- without spout (2 holes)
- without spout (2 holes)

RIN 040L

CR- Chrome | Chrome

NO- Matt black | Matt black

RIN 041L

CR- Chrome | Chrome

NO- Matt black | Matt black

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
RIN 040L



ESPLOSO
RICAMBI
RIN 041L





- WS 040L**
CR- Chrome | Chrome
- WS 041L**
CR- Chrome | Chrome

RIN 040L.. / WS 040L..

- with waterfall spout (3 holes)
- with waterfall spout (3 holes)

RIN 041L.. / WS 041L..

- without spout (2 holes)
- without spout (2 holes)



ESPLOSO
RICAMBI
WS 040L

ESPLOSO
RICAMBI
WS 041L

