


stick



- Wash basin mixer complete with:
- Energy & Water Saving cartridge
- aerator M24x1 with flow reducer
- set of 2 stainless steel hoses 3/8"G

- Wash basin mixer complete with:
- Energy & Water Saving cartridge
- aerator M24x1 with flow reducer
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

SK 075H.. -EWS

- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

SK 071H.. -EWS

- without pop up waste
- without pop up waste

SK 075H.. -EWS

CR- Chrome | Chrome

ST- Steel looking finish | Steel looking finish

SK 071H.. -EWS

CR- Chrome | Chrome

ST- Steel looking finish | Steel looking finish

TECNOLOGIE TECHNOLOGIES



ENERGY SAVING



WATER SAVING

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
SK 075H.. -
EWS



ESPLOSO
RICAMBI
SK 071H.. -
EWS



stick



- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

ARTICOLO ARTICLE

SK 071H..120

- without pop up waste
- with extension 125 mm
- without pop up waste
- with extension 125 mm

SK 071H..120

CR- Chrome | Chrome

ST- Steel looking finish | Steel looking finish


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
SK 071H..120



stick



- Concealed single lever basin mixer complete with:
- wall plates Ø70mm
- 1/2"G connections
- Concealed single lever basin mixer complete with:
- wall plates Ø70mm
- 1/2"G connections

SK 006..70

CR- Chrome | Chrome

ST- Steel looking finish | Steel looking finish

SK 007..70

CR- Chrome | Chrome

ST- Steel looking finish | Steel looking finish

ZPRO 013

- CR- Chrome
- ST- Steel looking finish

ARTICOLO ARTICLE

SK 006..70

- with spout and aerator M22x1 - l. 175mm
- with spout and aerator M22x1 - l. 175mm

SK 007..70

- with spout and aerator M22x1 - l. 245mm
- with spout and aerator M22x1 - l. 245mm

ZPRO 013..

- Extension for artt. 006..70-007..70-010
- H43mm

DOCUMENTI TECNICI TECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
SK 006..70



ESPLOSO
RICAMBI
SK 007..70



stick



- Concealed single lever basin mixer complete with:
- metal wall plates Ø70mm
- 1/2" G connections
- Concealed single lever basin mixer complete with:
- metal wall plates Ø70mm
- 1/2" G connections

SK 104..70

- CR- Chrome | Chrome
- ST- Steel looking finish | Steel looking finish

SK 105..70

- CR- Chrome | Chrome
- ST- Steel looking finish | Steel looking finish

SK 106..70

- CR- Chrome | Chrome
- ST- Steel looking finish | Steel looking finish

ZPRO 088

- CR- Chrome
- ST- Steel looking finish

ARTICOLO ARTICLE

SK 104..70

- with spout and aerator M16x1 - l. 123mm
- with spout and aerator M16x1 - l. 123mm

SK 105..70

- with spout and aerator M16x1 - l. 178mm
- with spout and aerator M16x1 - l. 178mm

SK 106..70

- with spout and aerator M16x1 - l. 248mm
- with spout and aerator M16x1 - l. 248mm

ZPRO 088..

- Extension for artt. 104..70-105..70-106..70
- H20mm

DOCUMENTI TECNICI TECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
SK 104..70




ESPLOSO
RICAMBI
SK 105..70



ESPLOSO
RICAMBI
SK 106..70



stick



- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x100mm
- 1/2"G connections
- Concealed single lever basin mixer complete with:
- stainless steel wall plate 250x100mm
- 1/2"G connections

- SK 104**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- SK 105**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- SK 106**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- ZPRO 088**
 - CR- Chrome
 - ST- Steel looking finish

ARTICOLO ARTICLE

- SK 104..**
 - with spout and aerator M16x1 - l. 123mm
 - with spout and aerator M16x1 - l. 123mm
- SK 105..**
 - with spout and aerator M16x1 - l. 178mm
 - with spout and aerator M16x1 - l. 178mm
- SK 106..**
 - with spout and aerator M16x1 - l. 248mm
 - with spout and aerator M16x1 - l. 248mm

- ZPRO 088..**
 - Extension for artt. 104-105-106
 - H20mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		4.08	5.75	7.11	8.2	9.21	10.08	10.87	11.6	12.35	13.05



DOCUMENTI TECNICI TECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
SK 104




ESPLOSO
RICAMBI
SK 105



ESPLOSO
RICAMBI
SK 106



stick



- Bidet mixer complete with:
- with swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Bidet mixer complete with:
- with swivel joint and aerator M24x1
- set of 2 stainless steel hoses 3/8"G

- SK 135H**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- SK 131H**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- SK 131HK**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- SK 130H**
CR- Chrome | Chrome

ARTICOLO ARTICLE

- SK 135H..**
- with 1"1/4G pop up waste
- with 1"1/4G pop up waste

- SK 131H..**
- without pop up waste
- without pop up waste

- SK 131HK..**
- with 1"1/4G Clic-Clac press top waste
- with 1"1/4G Clic-Clac press top waste

- SK 130H..**
- with 1"G pop up waste
- with 1"G pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		7.32	10.15	12.32	14.11	15.76	17.27	18.59	19.83	21.02	22.12



DOCUMENTI TECNICITECHNICAL DOCUMENTS







ESPLOSO
RICAMBI
SK 135H


ESPLOSO
RICAMBI
SK 131H

ESPLOSO
RICAMBI
SK 131HK

ESPLOSO
RICAMBI
SK 130H



stick



- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Shower mixer complete with:
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

- SK 168D**
 - CR- Chrome | Chrome
 - ST- Steel looking finish | Steel looking finish
- SK 168**
 - CR- Chrome | Chrome
 - ST- Steel looking finish | Steel looking finish
- SK 168R**
 - CR- Chrome | Chrome
 - ST- Steel looking finish | Steel looking finish

ARTICOLO ARTICLE

- SK 168D..**
 - with ABS joint wall bracket
 - with hand-shower and flexible hose
 - with ABS joint wall bracket
 - with hand-shower and flexible hose

- SK 168..**
 - without shower set
 - with 1/2"G lower connection
 - without shower set
 - with 1/2"G lower connection

- SK 168R..**
 - overturned without shower set
 - with 3/4"G upper connection
 - overturned without shower set
 - with 3/4"G upper connection

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.82	12.68	15.41	17.93	20.08	21.93	23.81	25.69	27.33	28.66



DOCUMENTI TECNICITECHNICAL DOCUMENTS







ESPLOSO
RICAMBI
SK 168D




ESPLOSO
RICAMBI
SK 168



ESPLOSO
RICAMBI
SK 168R



stick



- Shower mixer 2 outlets complete with:
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- with 1/2"G connections

SK 169

CR- Chrome | Chrome

- Shower mixer 2 outlets complete with:
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- with 1/2"G connections

ARTICOLO ARTICLE

SK 169..

- without shower set
- with diverter cartridge
- without shower set
- with diverter cartridge


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
SK 169



stick



- Concealed shower mixer (1 outlet) complete with:
- metal wall plate Ø116mm
- 1/2"G connections
- Concealed shower mixer (1 outlet) complete with:
- metal wall plate Ø116mm
- 1/2"G connections

ARTICOLO ARTICLE

SK 010..

- without diverter
- without diverter

ZPRO 013..

- Extension for art. 010
- H43mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
SK 010



stick



- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2"G hot/cold and upper connections - 3/4"G lower connection
- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2"G hot/cold and upper connections - 3/4"G lower connection

ARTICOLO ARTICLE

SK 015..

- with push diverter
- with push diverter

ZPRO 014..

- Extension with diverter for art. 015
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	9.37	13.13	16.03	18.55	20.7	22.72	24.15	26.17	27.46	29.12
	uscita sotto - under outlet	7.69	10.65	12.96	14.94	16.65	18.25	19.63	21.03	22.28	23.48


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
SK 015



stick



- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2" G connections
- Concealed shower mixer (2 outlets) complete with:
- metal wall plate Ø200mm
- 1/2" G connections

ARTICOLO ARTICLE

SK 018..

- with diverter cartridge (2 outlets + 1 combined position)
- with diverter cartridge (2 outlets + 1 combined position)

ZPRO 069..

- Extension with diverter for artt. 018-019
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita destra - right outlet	5.65	8.07	9.89	11.39	12.81	14.02	15.12	16.18	17.14	18.12
	uscita sinistra - left outlet	5.62	7.96	9.8	11.34	12.64	13.98	15.09	16.22	17.22	18.24
	uscita combinata - combined outlet	5.25	7.36	9.11	10.55	11.9	13.24	14.57	16.2	16.95	18.03


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
SK 018



stick



- Concealed shower mixer (3 outlets) complete with:
- metal wall plate Ø200mm
- 1/2" G connections
- Concealed shower mixer (3 outlets) complete with:
- metal wall plate Ø200mm
- 1/2" G connections

ARTICOLO ARTICLE

SK 019..

- with diverter cartridge (3 outlets + 3 combined positions)
- with diverter cartridge (3 outlets + 3 combined positions)

ZPRO 069..

- Extension with diverter for artt. 018-019
- H30mm

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	uscita sopra - up outlet	5.65	8.07	9.89	11.39	12.81	14.02	15.12	16.18	17.14	18.12
	uscita destra - right outlet	5.62	7.96	9.8	11.34	12.64	13.98	15.09	16.22	17.22	18.24
	uscita sinistra - left outlet	5.6	8	9.7	11.2	12.5	13.9	15	16	17.1	18.03


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
SK 019



stick



- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
- Bath/shower mixer with diverter complete with:
- aerator M28x1
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

ARTICOLO ARTICLE

SK 023..

- with ABS joint wall bracket
- with hand-shower and flexible hose
- with ABS joint wall bracket
- with hand-shower and flexible hose

SK 022..

- without shower set
- without shower set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

	Uscita outlet	Pressione / Pressure (bar)									
		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	6.89	9.77	11.88	13.7	15.39	16.88	18.21	19.5	20.58	21.76
	doccia - hand shower	5.59	7.93	9.61	11.06	12.34	13.56	14.51	15.58	16.47	17.38

DOCUMENTI TECNICITECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
SK 023



ESPLOSO
RICAMBI
SK 022



stick



- Deck mounted mixer with diverter complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight
- Deck mounted mixer with diverter complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight

ARTICOLO ARTICLE

SK 040L..

- with spout and aerator M28x1 (3 holes)
- with spout and aerator M28x1 (3 holes)

SK 041L..

- without spout (2 holes)
- without spout (2 holes)

SK 040L

CR- Chrome | Chrome

SK 041L

CR- Chrome | Chrome

DOCUMENTI TECNICI TECHNICAL DOCUMENTS




ESPLOSO
RICAMBI
SK 040L



ESPLOSO
RICAMBI
SK 041L



stick



- Deck mounted mixer with "increased flow rate" complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight
- Deck mounted mixer with "increased flow rate" complete with:
- set of 5 stainless steel hoses for mixer
- hand-shower and flexible hose with ecological weight

ARTICOLO ARTICLE

SK 047..

- with spout and aerator M28x1 (3 holes)
- with spout and aerator M28x1 (3 holes)

SK 048..

- without spout (2 holes)
- without spout (2 holes)

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	bocca - spout	10.28	13.89	16.93	19.61	21.91	24.05	25.98	27.74	29.45	31.04
	doccia - hand shower	4.96	7.45	9.25	10.72	12.13	13.39	14.45	15.49	16.49	17.41
	bocca - spout	10.28	13.89	16.93	19.61	21.91	24.05	25.98	27.74	29.45	31.04
	doccia - hand shower	4.96	7.45	9.25	10.72	12.13	13.39	14.45	15.49	16.49	17.41

DOCUMENTI TECNICI TECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
SK 047

ESPLOSO
RICAMBI
SK 048



stick



- Extension for wash basin mixer complete with
- fixing set L.190 mm
- set of 2 stainless steel hoses 3/8"G x L.600 mm
- Extension for wash basin mixer complete with
- fixing set L.190 mm
- set of 2 stainless steel hoses 3/8"G x L.600 mm

ARTICOLO ARTICLE

ZPRO 120 . .

- Extension for artt. 071H..120-071H
- H125mm
- Extension for artt. 071H..120-071H
- H125mm

ZPRO 120

CR- Chrome | Chrome



ST- Steel looking finish | Steel looking finish

DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
ZPRO 120





- Universal concealed Box for mixers complete with:
- concealed body
- box

PBOX 001

- Universal concealed Box for mixers complete with:
- concealed body
- box

ARTICOLO ARTICLE

PBOX 001

- without external set
- without external set

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
Uscita outlet		0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)	A	8.9	12.6	15.2	17.6	19.5	21.6	23.3	24.9	26.4	28
	B	9.2	13	15.6	18	20	22	23.7	25.4	26.8	28.5
	C	9.6	13.4	16	18.5	20.5	22.5	24.2	25.9	27.3	29
	A+B	10	13.8	16.5	19	21	23	24.6	26.4	27.8	29.5
	C+B	10.5	14.3	17	19.5	21.5	23.5	24.9	26.9	28.3	30
	C+A	11	14.8	17.5	20	22	24	25.4	27.4	28.8	30.5



DOCUMENTI TECNICI TECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
PBOX 001



stick



- External set for concealed shower mixer (1 outlet) complete with:
- mixer body
- ABS wall plate $\varnothing 173$ mm and lever

- External set for concealed shower mixer (1 outlet) complete with:
- mixer body
- ABS wall plate $\varnothing 173$ mm and lever

ARTICOLO ARTICLE

SK BOX010..

- without diverter
- without diverter

ZPRO BOX010..

- Extension for art. BOX010
- H30mm

SK BOX010

CR- Chrome | Chrome

ZPRO BOX010

- CR- Chrome



DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
SK BOX010



stick



- External set for concealed shower mixer (2 outlets) complete with:
 - mixer body
 - ABS wall plate Ø173 mm and lever
- External set for concealed shower mixer (2 outlets) complete with:
 - mixer body
 - ABS wall plate Ø173 mm and lever

SK BOX015

CR- Chrome | Chrome

ST/M- Steel looking with stainless steel wall plate | Steel looking with stainless steel wall plate

ZPRO BOX015

- CR- Chrome
- ST- Steel looking finish

ARTICOLO ARTICLE

SK BOX015..

- with push diverter
- with push diverter

ZPRO BOX015..

- Extension with diverter for art. BOX015
- H30mm


DOCUMENTI TECNICITECHNICAL DOCUMENTS



ESPLOSO
RICAMBI
SK BOX015



stick



- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G
- Wash basin mixer complete with:
- aerator M24x1
- set of 2 stainless steel hoses 3/8"G

- SK 075H**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- SK 071H**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- SK 071HK**
CR- Chrome | Chrome
ST- Steel looking finish | Steel looking finish
- SK 070H**
CR- Chrome | Chrome

ARTICOLO ARTICLE

- SK 075H..**
 - with 1"1/4G pop up waste
 - with 1"1/4G pop up waste

- SK 071H..**
 - without pop up waste
 - without pop up waste

- SK 071HK..**
 - with 1"1/4G Clic-Clac press top waste
 - with 1"1/4G Clic-Clac press top waste

- SK 070H..**
 - with 1"G pop up waste
 - with 1"G pop up waste

RAPPORTO PROVA PORTATA FLOW RATE REPORT

		Pressione / Pressure (bar)									
	Uscita outlet	0,5	1	1.5	2	2.5	3	3.5	4	4.5	5
Portata / Flow rate (l / min)		6.66	9.3	11.32	13.04	14.58	15.96	17.22	18.44	19.5	20.6



DOCUMENTI TECNICITECHNICAL DOCUMENTS







ESPLOSO
RICAMBI
SK 075H



ESPLOSO
RICAMBI
SK 071H



ESPLOSO
RICAMBI
SK 071HK



ESPLOSO
RICAMBI
SK 070H

