

PY117RS

Back to wall wc PLUS* gosilent

* WARNING: bends and connectors are on demand

Complements: SLIM soft-closing thermosetting seat&cover (PYCW05)

Technical accessories:

- *Kit suitable for wall trap H 230 mm (LKR00)
- *Kit suitable for floor trap from 50 to 80 mm (LKR90)
- *Kit suitable for floor trap from 80 to 100 mm (LKR010)
- *Kit suitable for floor trap from 100 to 120 mm (LKR1012)
- *Kit suitable for floor trap from 120 to 140 mm (LKR1214)
- *Kit suitable for floor trap from 140 to 160 mm (LKR1416)
- *Kit suitable for floor trap from 160 to 180 mm (LKR1820)
- *Kit suitable for floor trap from 180 to 200 mm (LKR2022)
- *Kit suitable for floor trap from 200 to 220 mm (LKR2223)
- *Kit suitable for floor trap from 220 to 350 mm (LKR2233)

Package dim.

Weight kg


Pz. Pallet n° 15

CE UNI EN 997


Dop-No997

pag. 1/2


Flaminia does not recommend combining this toilet model with rapid-flow/flushometer systems or traditional high tanks



vista zenitale / zenital view




vista laterale / lateral view




vista retro / back view

SCARICO A PARETE
PREDISPOSTO PER WC SOSPESO
WALL DISCHARGE ARRANGEMENT
FOR WALL-HUNG WC



sezione longitudinale / section

SCARICO A PAVIMENTO
PREDISPOSTO DA 5 A 35 CM
ARRANGEMENT DISCHARGE
TO FLOOR FROM 5 TO 35 CM



sezione longitudinale / section

NOTICE: floor fixing by silicone




sizes in mm

Please consider a 2% tolerance on indicated measurements


KIT SUITABLE FOR WALL TRAP

LKR00 (SET: LKR00)




KIT SUITABLE FOR FLOOR TRAP

LKR90 (SET: LKR90)




da/ from 50 a/ to 80 mm

LK8010 (SET: LKR90+LKR20)




da/ from 80 a/ to 100 mm

LK1012 (SET: LKR90+LKR40)




da/ from 100 a/ to 120 mm

LK1214 (SET: LKRS+LKR40)




da/ from 120 a/ to 140 mm

LK1416 (SET: LKRS+LKR20)




da/ from 140 a/ to 160 mm

LKRS (SET: LKRS)




da/ from 160 a/ to 180 mm

LK1820 (SET: LKRS+LKR20)




da/ from 180 a/ to 200 mm

LK2022 (SET: LKRS+LKR40)



da/ from 200 a/ to 220 mm

LK2233 (SET: LKR90+LKR33)



da/ from 220 a/ to 350* mm

ATTENTION: THE DRAINAGE CONNECTORS ARE NOT INCLUDED

PY117S

Back to wall wc with gosilent system and S/P trap

(drainage connectors art. LK1012 included)

Complements: **SLIM** soft-closing thermosetting seat&cover (PYCW05)
Niagara monoblock cistern (TR38)
Line accessories: TWO - HOOP - FOLD

Package dim.

Weight kg


Pz. Pallet n° 15

CE UNI EN 997


Dop-No997




Flaminia does not recommend combining this toilet model with rapid-flow/flushometer systems or traditional high tanks




vista zenitale / zenital view



vista laterale / lateral view




vista retro / back view



sezione longitudinale / section

art. LK1012 (LKR90+LKR40)
connessioni di scarico
(in dotazione)
drainage connector
(included in the box)



sezione longitudinale / section

NOTICE: floor fixing by silicone



sizes in mm

Please consider a 2% tolerance on indicated measurements

PY217

Back to wall single-hole bidet

• with overflow • without tap hole on demand

Complements: **Niagara panel bidet (TR40)**
Line taps bidet: ONE - NOKÉ - SI - FOLD - X1 - STIL
Line accessories: TWO - HOOP - FOLD


Technical accessories:
Short chrome siphon for bidet (SIFB/CR)
Stop & Go drain (PLSG)
Stop&Go CERAMIC drain (PLCE)
Two piece set chrome tap filters (RF026)

Package dim.


Weight kg

Pz. Pallet n° 15


CE UNI EN 14528 - CL20 Dop-No14528




vista zenitale / zenital view



vista laterale / lateral view



sezione longitudinale / section



vista retro / back view

NOTICE: floor fixing by silicone



sizes in mm

Please consider a 2% tolerance on indicated measurements