

**C7010P** CM3 70x100

Laid on or built-in in the floor shower tray 70x100 cm  
(Ø 90 mm drainage system with stainless steel cover included)



Complements: **Line taps shower:** ONE - NOKÉ - SI - FOLD - X1 - STIL  
**Line accessories:** TWO - HOOP - FOLD

Technical accessories: **painted COLORED square cover (C12C)**


Package dim. **cm** | Weight **28 kg** | Pz. Pallet n° -

CE UNI EN 14527


Dop-No14527

**PILETTA IN DOTAZIONE / INCLUDED DRAIN**


**Piletta sifonata / Drainage**  
**Portata / Flow rate:** 0,5 l/sec (EN 274 >0,4 l/sec)




vista zenitale / zenital view



vista frontale / frontal view



sezione longitudinale / section



dettaglio del bordo / shower tray rim detail

2022

**C7012P** CM3 70x120

Laid on or built-in in the floor shower tray 70x120 cm  
(Ø 90 mm drainage system with stainless steel cover included)



Complements: **Line taps shower:** ONE - NOKÉ - SI - FOLD - X1 - STIL  
**Line accessories:** TWO - HOOP - FOLD

Technical accessories: **painted COLORED square cover (C12C)**


Package dim. **cm** | Weight **35 kg** | Pz. Pallet n° -

CE UNI EN 14527


Dop-No14527




vista zenitale / zenital view



vista frontale / frontal view




sezione longitudinale / section

**PILETTA IN DOTAZIONE / INCLUDED DRAIN**

art. C90S  
piletta Ø 90 (in dotazione)  
drain Ø 90 (included)

**Piletta sifonata / Drainage**  
**Portata / Flow rate:** 0,5 l/sec (EN 274 >0,4 l/sec)

bordo interno per  
l'installazione del box doccia  
inner rim of shower tray  
for shower box installation



dettaglio del bordo / shower tray rim detail

sizes in mm

Please consider a 2% tolerance on indicated measurements

2022

**C7014P** CM3 70x140



Laid on or built-in in the floor shower tray 70x140 cm  
(ø 90 mm drainage system with stainless steel cover included)

Complements: **Line taps shower:** ONE - NOKÉ - SI - FOLD - X1 - STIL  
**Line accessories:** TWO - HOOP - FOLD


Technical accessories: **painted COLORED square cover (C12C)**

Package dim. cm | Weight 42 kg | Pz. Pallet n° -


CE UNI EN 14527 Dop-No14527



vista zenitale / zenital view




vista frontale / frontal view



sezione longitudinale / section


## PILETTA IN DOTAZIONE / INCLUDED DRAIN



art. C90S  
piletta ø 90 (in dotazione)  
drain ø 90 (included)

**Piletta sifonata / Drainage**  
**Portata / Flow rate:** 0,5 l/sec (EN 274 >0,4 l/sec)

bordo interno per  
l'installazione del box doccia  
inner rim of shower tray  
for shower box installation



dettaglio del bordo / shower tray rim detail

sizes in mm

Please consider a 2% tolerance on indicated measurements

2024

**C7090P** CM3 70x90

Laid on or built-in in the floor shower tray 70x90 cm  
(ø 90 mm drainage system with stainless steel cover included)





Complements: **Line taps shower:** ONE - NOKÉ - SI - FOLD - X1 - STIL  
**Line accessories:** TWO - HOOP - FOLD

Technical accessories: **painted COLORED square cover (C12C)**


Package dim. cm | Weight 25,8 kg | Pz. Pallet n° -

CE UNI EN 14527

Dop-No14527

**PILETTA IN DOTAZIONE / INCLUDED DRAIN**

**Piletta sifonata / Drainage**  
**Portata / Flow rate:** 0,5 l/sec (EN 274 >0,4 l/sec)



dettaglio del bordo / shower tray rim detail

sizes in mm

Please consider a 2% tolerance on indicated measurements

2022

**C8010P** CM3 80x100

Laid on or built-in in the floor shower tray 80x100 cm  
(ø 90 mm drainage system with stainless steel cover included)






Complements: **Line taps shower:** ONE - NOKÉ - SI - FOLD - X1 - STIL  
**Line accessories:** TWO - HOOP - FOLD

Technical accessories: **painted COLORED square cover (C12C)**

Package dim. **cm** | Weight **34 kg** | Pz. Pallet n° -


CE UNI EN 14527

Dop-No14527

**PILETTA IN DOTAZIONE / INCLUDED DRAIN****Piletta sifonata / Drainage**

**Portata / Flow rate:** 0,5 l/sec (EN 274 >0,4 l/sec)

**bordo interno per  
l'installazione del box doccia**  
inner rim of shower tray  
for shower box installation



## C8012P CM3 80x120



Laid on or built-in in the floor shower tray 80x120 cm  
(ø 90 mm drainage system with stainless steel cover included)

Complements: **Line taps shower:** ONE - NOKÉ - SI - FOLD - X1 - STIL  
**Line accessories:** TWO - HOOP - FOLD


Technical accessories: **painted COLORED square cover (C12C)**

Package dim. **cm** | Weight **41 kg** | Pz. Pallet n° -


CE UNI EN 14527 Dop-No14527



vista zenitale / zenital view




vista frontale / frontal view



sezione longitudinale / section

### PILETTA IN DOTAZIONE / INCLUDED DRAIN




art. C90S  
piletta ø 90 (in dotazione)  
drain ø 90 (included)

### Piletta sifonata / Drainage

Portata / Flow rate: 0,5 l/sec (EN 274 >0,4 l/sec)

bordo interno per  
l'installazione del box doccia  
inner rim of shower tray  
for shower box installation



dettaglio del bordo / shower tray rim detail

2022

**C8014P** CM3 80x140






Laid on or built-in in the floor shower tray 80x140 cm  
(ø 90 mm drainage system with stainless steel cover included)

Complements: **Line taps shower:** ONE - NOKÉ - SI - FOLD - X1 - STIL  
**Line accessories:** TWO - HOOP - FOLD

Technical accessories: **painted COLORED square cover (C12C)**


Package dim. cm | Weight 45 kg | Pz. Pallet n° -

CE UNI EN 14527 Dop-No14527

**PILETTA IN DOTAZIONE / INCLUDED DRAIN**

**Piletta sifonata / Drainage**  
**Portata / Flow rate:** 0,5 l/sec (EN 274 >0,4 l/sec)

bordo interno per  
l'installazione del box doccia  
inner rim of shower tray  
for shower box installation



dettaglio del bordo / shower tray rim detail

sizes in mm

Please consider a 2% tolerance on indicated measurements

2024

**C8080P** CM3 80x80






Laid on or built-in in the floor shower tray 80x80 cm  
(ø 90 mm drainage system with stainless steel cover included)

Complements: **Line taps shower:** ONE - NOKÉ - SI - FOLD - X1 - STIL  
**Line accessories:** TWO - HOOP - FOLD

Technical accessories: **painted COLORED square cover (C12C)**


Package dim. cm | Weight 25,8 kg | Pz. Pallet n° -

CE UNI EN 14527 Dop-No14527

**PILETTA IN DOTAZIONE / INCLUDED DRAIN**

**Piletta sifonata / Drainage**  
**Portata / Flow rate:** 0,5 l/sec (EN 274 >0,4 l/sec)

bordo interno per  
l'installazione del box doccia  
inner rim of shower tray  
for shower box installation



dettaglio del bordo / shower tray rim detail

sizes in mm

Please consider a 2% tolerance on indicated measurements



## C8090P CM3 80x90




Laid on or built-in in the floor shower tray 80x90 cm  
(ø 90 mm drainage system with stainless steel cover included)

Complements: **Line taps shower:** ONE - NOKÉ - SI - FOLD - X1 - STIL  
**Line accessories:** TWO - HOOP - FOLD


Technical accessories: **painted COLORED square cover (C12C)**

Package dim. cm | Weight 25,8 kg | Pz. Pallet n° -


UNI EN 14527 Dop-No14527



### PILETTA IN DOTAZIONE / INCLUDED DRAIN



**Piletta sifonata / Drainage**  
**Portata / Flow rate:** 0,5 l/sec (EN 274 >0,4 l/sec)



2024

**C9012P** CM3 90x120

Laid on or built-in in the floor shower tray 90x120 cm  
(ø 90 mm drainage system with stainless steel cover included)



Complements: **Line taps shower:** ONE - NOKÉ - SI - FOLD - X1 - STIL  
**Line accessories:** TWO - HOOP - FOLD

Technical accessories: **painted COLORED square cover (C12C)**





Package dim. **cm** | Weight **42,8 kg** | Pz. Pallet n° -

CE UNI EN 14527

Dop-No14527

**PILETTA IN DOTAZIONE / INCLUDED DRAIN****Piletta sifonata / Drainage**

**Portata / Flow rate:** 0,5 l/sec (EN 274 >0,4 l/sec)

**dettaglio del bordo / shower tray rim detail**

sizes in mm

Please consider a 2% tolerance on indicated measurements

## CS7010P CM3 STONE 70x100


Laid on or built-in in the floor shower tray 70x100 cm  
(ø 90 mm drainage system with stainless steel cover included)

Complements: **Line taps shower:** ONE - NOKÉ - SI - FOLD - X1 - STIL  
**Line accessories:** TWO - HOOP - FOLD


Technical accessories: **painted COLORED square cover (C12C)**

Package dim. **cm** | Weight **31.4 kg** | Pz. Pallet n° -

CE UNI EN 14527 Dop-No14527




### PILETTA IN DOTAZIONE / INCLUDED DRAIN




### Piletta sifonata / Drainage


Portata / Flow rate: 0,5 l/sec (EN 274 >0,4 l/sec)




vista zenitale / zenital view



dettaglio del bordo / shower tray rim detail



vista frontale / frontal view



sezione longitudinale / section

## CS7012P CM3 STONE 70x120


Laid on or built-in in the floor shower tray 70x120 cm  
(ø 90 mm drainage system with stainless steel cover included)

Complements: **Line taps shower:** ONE - NOKÉ - SI - FOLD - X1 - STIL  
**Line accessories:** TWO - HOOP - FOLD


Technical accessories: **painted COLORED square cover (C12C)**

Package dim. **cm** | Weight **38 kg** | Pz. Pallet n° -

CE UNI EN 14527 Dop-No14527




### PILETTA IN DOTAZIONE / INCLUDED DRAIN




### Piletta sifonata / Drainage


Portata / Flow rate: 0,5 l/sec (EN 274 >0,4 l/sec)




vista zenitale / zenital view



dettaglio del bordo / shower tray rim detail



vista frontale / frontal view



sezione longitudinale / section

2024

## CS7014P CM3 STONE 70x140

Laid on or built-in in the floor shower tray 70x140 cm  
(ø 90 mm drainage system with stainless steel cover included)

Complements: **Line taps shower:** ONE - NOKÉ - SI - FOLD - X1 - STIL  
**Line accessories:** TWO - HOOP - FOLD


Technical accessories: **painted COLORED square cover (C12C)**

Package dim. **cm** | Weight **41.2 kg** | Pz. Pallet n° -

CE UNI EN 14527 Dop-No14527




### PILETTA IN DOTAZIONE / INCLUDED DRAIN




### Piletta sifonata / Drainage


Portata / Flow rate: 0,5 l/sec (EN 274 >0,4 l/sec)




vista zenitale / zenital view



dettaglio del bordo / shower tray rim detail



vista frontale / frontal view



sezione longitudinale / section

sizes in mm

Please consider a 2% tolerance on indicated measurements

2024

## CS8010P CM3 STONE 80x100


Laid on or built-in in the floor shower tray 80x100 cm  
(ø 90 mm drainage system with stainless steel cover included)

Complements: **Line taps shower:** ONE - NOKÉ - SI - FOLD - X1 - STIL  
**Line accessories:** TWO - HOOP - FOLD


Technical accessories: **painted COLORED square cover (C12C)**

Package dim. **cm** | Weight **346 kg** | Pz. Pallet n° -

CE UNI EN 14527 Dop-No14527







### PILETTA IN DOTAZIONE / INCLUDED DRAIN



### Piletta sifonata / Drainage

Portata / Flow rate: 0,5 l/sec (EN 274 >0,4 l/sec)



sizes in mm

Please consider a 2% tolerance on indicated measurements

2024

## CS8012P CM3 STONE 80x120

Laid on or built-in in the floor shower tray 80x120 cm  
(ø 90 mm drainage system with stainless steel cover included)

Complements: **Line taps shower:** ONE - NOKÉ - SI - FOLD - X1 - STIL  
**Line accessories:** TWO - HOOP - FOLD


Technical accessories: **painted COLORED square cover (C12C)**

Package dim. **cm** | Weight **42.8 kg** | Pz. Pallet n° -

CE UNI EN 14527 Dop-No14527




### PILETTA IN DOTAZIONE / INCLUDED DRAIN






### Piletta sifonata / Drainage

Portata / Flow rate: 0,5 l/sec (EN 274 >0,4 l/sec)

bordo interno per  
l'installazione del box doccia  
inner rim of shower tray  
for shower box installation



dettaglio del bordo / shower tray rim detail



sizes in mm

Please consider a 2% tolerance on indicated measurements

2024

## CS8014P CM3 STONE 80x140

Laid on or built-in in the floor shower tray 80x140 cm  
(ø 90 mm drainage system with stainless steel cover included)

Complements: **Line taps shower:** ONE - NOKÉ - SI - FOLD - X1 - STIL  
**Line accessories:** TWO - HOOP - FOLD


Technical accessories: **painted COLORED square cover (C12C)**

Package dim. **cm** | Weight **47.6 kg** | Pz. Pallet n° -

CE UNI EN 14527 Dop-No14527





### PILETTA IN DOTAZIONE / INCLUDED DRAIN





#### Piletta sifonata / Drainage

Portata / Flow rate: 0,5 l/sec (EN 274 >0,4 l/sec)



### dettaglio del bordo / shower tray rim detail



### sezione longitudinale / section

sizes in mm

Please consider a 2% tolerance on indicated measurements